INDEX TO VOLUME 100

*Author index**

A

Abu-Dalu KI, 940
Accurso F, 802
Adam RD, 123
Adler R, 764
Ahlfors CE, 624
Ahmann P, 209
Ahmann PA, 406
Aida M, 1005
Aiges H, 399
Albert MS, 1007
Allen D, 209
Allen WR, 188
Altemeier WA III, 823
Ambruso D, 665
Ament ME, 336, 510
Anday EK, 840
Andersen GE, 975
Anderson DC, 169
Anderson JC, 445
Anderson PAW, 297
Andreoli SP, 541
Andrews C, 197
Angelats J, 323
Ansell BM, 529
Antonarakis SE, 845
Aquino A, 977
Arant BS Jr, 113, 328
Arbeter AM, 886
Arese P, 972
Ariagno RL, 622, 894
Armstrong BE, 297
Armstrong D, 796
Arndt WF Jr, 839
Arnoldi SH, 91
Arnon SS, 568
Arthur DC, 907
Arvin AM, 715
Ashby S, 476
Asnes RS, 923
Assan R, 15
Avery GB, 255
Avner ED, 85
Azen CG, 870

B

Baba K, 881
Bach C, 15
Bada HS, 291
Baehner RL, 307
Baird-Lambert J, 651
Baker L, 840
Baldwin R, 894
Ballow M, 192
Balun JE, 669
Baraitser M, 836
Barbero GJ, 914
Bard H, 449
Barenkamp SJ, 202
Baron R, 815
Barsh GS, 127
Bashiru M, 291, 960
Bass HN, 1007
Bastian JF, 406
Batton DG, 300
Baumgart S, 787
Bawnik JC, 745
Beaudet AL, 169
Becker CC, 123
Becker LE, 492
Becker Y, 134
Beckett C, 69
Beckwith JB, 841
Bedard MP, 469
Bendig DW, 536
Benirschke K, 160, 619
Benjamin DR, 117, 841
Bennett AJ, 990
Berdon WE, 521
Bergadá C, 387
Berger R, 929
Bergstein JM, 541
Berkelhamer JB, 511
Berkowitz CD, 589
Berman ER, 582
Berman S, 669
Bernstein J, 328
Bertrams J, 15
Bertuccioli A, 1000
Bickers R, 624
Bier DM, 704
Bifano E, 143
Binkiewicz A, 660
Binstadt D, 291
Bishop AJ, 984
Black DD, 514
Blackburn GK, 946
Bleyer WA, 595
Blizzard RM, 8
Block J, 69
Blom W, 929
Bock GH, 675
Bolam DL, 835
Bongiovanni AM, 507
Borregaard N, 98
Bortolotti F, 366
Bottazzo G-F, 15
Bowen A, 85
Boyer KM, 837
Bradbear RA, 325
Brandt L, 558
Brandt RB, 670
Brans YW, 513
Brater DC, 483
Brazy JE, 265
Bright GM, 8
Brittenham GM, 351
Brouhard BH, 188
Brouillette RT, 31
Brouillette RT Jr, 971
Brown DR, 777
Brown LW, 69
Brubakk A-M, 929
Bruce DA, 663
Bruhn FW, 715
Brunning RD, 907
Brünstler I, 454
Bucalo LR, 515
Buchanan GR, 509, 593
Buchanan N, 651
Buchino JJ, 500
Buist NRM, 731
Burn J, 836
Burns JC, 582
Burns JM, 839
Burstein Y, 506
Butt KMH, 245
Bybee DE, 383
Byers PH, 127
Bylund DB, 830

C

Cabanas R, 169
Cadrobbi P, 366
Cafiero V, 1001
Cairo MS, 307, 984
Caldore M, 1003
Cameron G, 768
Capasso S, 401
Carlsmith JM, 633
Carter TP, 373
Castillo R, 513
Castro-Gago M, 169
Cavallo T, 188
Çavdar A, 1003
Chabali R, 156
Champsaur HF, 15
Chandra R, 65
Chapoy PR, 336
Charney EB, 943
Chen I-W, 277, 782
Chen M-H, 277
Chesney PJ, 202, 497
Chiba K, 842
Chin J, 568
Chipps BE, 935
Christie DL, 358
Chua C, 960
Cich JA, 984
Clark BS, 595
Clarke TA, 722
Clarke WL, 8
Clausen CR, 358
Clyman RI, 101
Coccia PF, 984
Coe JY, 496
Coen RW, 628
Cohen DJ, 41
Cohen PM, 41
Cohen RS, 515
Coleman RA, 584
Corbeel L, 168
Corey M, 857
Corkey CWB, 420
Correia J, 489
Corti R, 972
Costa JA, 591
Costom B, 766
Cowett RM, 108, 926
Cox KL, 587
Cramolini GM, 644
Crist WM, 172
Crivellaro C, 366
Cunningham RJ III, 188
Cupit GC, 655
Curatolo P, 841
Cutz E, 760
Cvejic M, 651

D

Dajani AS, 843
Damus K, 568
Danis EH, 415
Darnall RA Jr, 1006
Daum F, 399
Dauwalder H, 704
Davis JM, 830
Davis N, 782
Davson J, 172
Dean AG, 552
Dekirmenjian H, 830
Del Vasto F, 1000
Delaplane D, 149
Delivoria-Papadopoulos M, 840
Dellagrammaticas H, 483
de Papendieck, LG, 387
D'Ercole AJ, 76, 932
de Toni T, 1001
DeVito GA Jr, 998

*January, pp. 1-174; February, pp. 175-338; March, pp. 339-514; April, pp. 515-674; May, pp. 675-844; June, 845-1008.

Dietz WH Jr, 638
Dincsoy MY, 277, 782
Dinndorf PA, 595
Dinwiddie R, 698
Dolanski EA, 804
Donner RM, 401
Donovan EF, 277
Donta ST, 431
Dorchy H, 337
Dornbusch S.M, 633
Dorst J, 127
Doshi UV, 139
Douglas SD, 727
Dove DJ, 493
Doyle LW, 1006
Doyle PE, 651
Duggan E, 21
Duke PM, 633
DuPont HL, 1005
Durie P, 857
Dykes FD, 406

E

Eason E, 766
Eckhoff C, 669
Edelbrock HH, 183
Edmonson MB, 202
Edson JR, 990
Edwards LD, 123
Eeckels R, 672
Eigen H, 26
Eisenberg Z, 745
Eisenstein B, 769
Eitzman DV, 599
Ek J, 738
Ellis D, 85
Enders A, 454
Engle WD, 113
Erickson AM, 876
Ettenger RB, 183
Everaerts MC, 168
Eyal F, 647

F

Fagre JL, 582
Faix RG, 304
Falletta JM, 584
Fan L, 318
Fanaroff AA, 440
Favre L, 898
Feigin RD, 843
Feldman RC, 464
Feldman S, 839
Feldman WE, 209
Fernbach DJ, 574
Fernbach SK, 31
Ferrell RE, 574
Ferry GD, 536
Filston HC, 412, 445
Fine RN, 1, 183, 554
Finley JP, 409
Fisher SE, 65
Fitz CR, 476
Fitzhardinge PM, 173, 476
Fleisher G, 727
Fletcher AB, 255
Flodmark O, 476
Forstner G, 857
Fost N, 166
Fouron J-C, 449
Fox WW, 787, 799, 806
Fraser D, 674
Frewen TC, 663
Friedman EG, 870
Friedman HS, 584
Friedman IM, 512
Fripp RR, 300
Frost H, 404
Fung K, 512

G

Garfinkel DJ, 935
Garfunkel JM, 506
Gartner JC, 65
Gartner JC Jr, 681
Garver KL, 243
Garza C, 563
Gaskin K, 857
Gasthuisberg AZ, 168
Gaudio KM, 192
Geffner ME, 838
Gelfand EW, 420, 760
Gelfman W, 245
Giacoia GP, 508
Gildenberg PL, 687
Gillum RF, 938
Ginsburg CM, 209
Githens J, 665
Githens JH, 168
Glasser RJ, 938
Glinsmann WH, 255
Gluck FE, 628
Gluck L, 619
Godard C, 898
Goddard-Finegold J, 796
Godinez RI, 663
Gold R, 760
Goldblum RM, 563
Goldman AS, 563
Goldstein P, 127
Gonzalez-Crussi F, 88
Goodman SI, 946
Gordon EF, 1004
Gordon RC, 1004
Goren EN, 383
Gotoff SP, 837
Gould SD, 971
Grabert BA, 51
Graft DF, 497
Graham J, 209
Graham L, 209
Graham SH, 687
Grange RW, 418
Granoff DM, 202
Green OC, 838
Greene CD, 669
Greer FR, 59, 919, 951
Grice J, 325
Grimm JK, 265
Groff DB, 500
Gross RT, 633
Gross SJ, 445
Grossman M, 715
Grover W, 69
Guerrant RL, 171
Guggenheim MA, 51
Guilleminault C, 894
Gunn RA, 1004
Gurumurthy K, 245
Gurwitz D, 857
Guthrie RD, 302

H

Haar FH, 687
Haas JE, 117
Hack M, 440
Hakala TR, 681
Hall CB, 722
Hall JG, 160
Hall LA,
Haller JA Jr, 935
Haller JS, 47
Hallman M, 619
Hargreaves HK, 422
Harpin VA, 614
Harrison GM, 536
Hasanoglu A, 1000
Hayward AR, 665
Heaf DP, 698
Heald JI, 300
Heimann R, 509
Heinrich JJ, 387
Heiser MS, 663
Hellerstein S, 21
Helms PJ, 698
Henle W, 727
Hernandez A, 239
Hernandez J, 802
Herson VC, 137
Hertel J, 975
Heymann M, 101
Heymann MA, 458
Hickman RO, 302
Hicks R, 552
Hillman BC, 312
Hillman LS, 511
Hisa YE, 415
Hittner HM, 574
Ho M, 782
Hockey A, 250
Holbrook KA, 127
Hopper AO, 515
Hoyme HE, 336
Huber PA, 272
Humbert JR, 373
Hunt CE, 31, 88, 149
Hurtado E, 710
Hyams JS, 772

I

Ikegami M, 101
Iorcansky S, 387
Ishizaki T, 842
Irwin CE, 339
Isles A, 489
Itami RM, 838
Iwatsuki S, 681

J

Jacobs JC, 521
Jaffe R, 85
Jager-Roman E, 651
Jankovic M, 152
Janofsky J, 167
Javaid J, 830
Jenkins SA, 835
Jennings D, 633
Jiménez E, 424
Jiménez R, 424
Jobe A, 101
Johansen KS, 98
Johnson CA, 579
Johnson PR Jr, 917
Johnsonbaugh RE, 383
Johnston AD, 521
Jonas A, 174
Jonas AJ, 321, 934
Jones KL, 336
Jones MC, 336
Jones P, 440
Jones T, 493

K

Kafetzis DA, 483
Kagey-Sobotka A, 546
Kahn E, 399
Kaiser DL, 8
Kalyanaraman K, 247
Kalyanaraman UP, 247
Kamiya H, 727
Kanarek KS, 626
Kaojarern S, 146
Kapiki AN, 483
Kaplan BS, 1008
Kaplan GN, 876
Kaplan J, 404
Kaplan SA, 838
Kaplan SL, 843
Kaplowitz PB, 76, 932
Karna P, 804
Kato H, 225
Katz SM, 401
Kaufman HH, 687
Kaufman IA, 406
Kaye CI, 596
Kazazian HH Jr, 845
Kearns GL, 312
Kelley RI, 943
Kelly HB, 318
Kennedy TL III, 192

Kerner JA, 515
Kesler RW, 232
Ketterer DM, 243
Kettrick RG, 663
Khanna NN, 291, 960
Khaw KT, 863
Kiley V, 579
Kim TH, 422
Kimble KJ, 622
Kimura K, 1005
Kinney TR, 584
Kirks DR, 412
Kliegman RM, 440
Kobrinksky NL, 907
Koch C, 98
Koch R, 870
Kohn G, 134
Komposch G, 673
Kotwal M, 511
Koven N, 727
Krivit W, 907, 990
Kurnetz R, 837
Kwee Y, 768
Kwiterovich KA, 546

L

Lackner TE, 811
Lanes R, 710
Langbaum TS, 1001
Langman CB, 815
Lanzkowsky P, 1002
Laptook A, 791
Lascari AD, 414
Laskarzewski P, 277, 782
Laughlin JJ, 26
Law B, 508
Lawrence E, 197
Lazzara A, 406
Lebo R, 574
Lee A, 362
Leffert F, 334
Leikin SL, 166
Lenz W, 160
Leong AB, 418
Lescari AD, 167
Leslie J, 631
Levin DL, 977
Levin LS, 127
Levin RS, 59, 919
Levine JB, 589
Levine LS, 506
Levison H, 489, 857
Levitt CJ, 984
Levy HL, 876
Levy J, 923
Lewiston NJ, 513
L'Hommedieu CS, 272
Lichtenstein LM, 546
Lieb S, 1004
Lippe BM, 838
Litt IF, 644
Little VA, 265
Livni N, 940
Lo D, 277
Locasciulli A, 152
Loening-Baucke VA, 213
Loney LC, 95
Lorin MI, 510
Lowry RB, 160
Lozoff B, 351
Lucky AW, 428
Lum CT, 675
Lum GM, 582
Lutner L, 242
Luzeau R, 671
Lyrene RK, 284

M

McCabe ERB, 168, 946
McCracken GH Jr, 209
McCutchen CB, 628
McGuire JS, 428
McIlhany M, 960
McLaughlin FJ, 863
McLean RH, 192
MacLeod S, 489
McMenamin JB, 492
McMurtry CA, 624
Maggi JC, 323
Magnus E, 738
Maisels MJ, 300
Malatack JJ, 681
Malekzadeh MH, 183
Mangurten HH, 596
Manser JI, 511
Mansour F, 21
Marchese SG, 243
Markestad T, 173
Markowitz J, 399
Marks MI, 393, 508
Martin JA, 633
Martin TC, 239
Masera G, 152
Mason EO Jr, 843
Mathew OP, 964, 968
Matsumoto Y, 1005
Matsuo M, 1005
Matthew DJ, 698
Matthews WJ Jr, 863
Mauer SM, 675
Mauray F, 101
Mazur AT, 815
Mead RH III, 558
Mehta PS, 599
Meinecke P, 1006
Melish ME, 552
Meloni T, 972
Melski JW, 219
Menegus MA, 722
Menendez R, 318
Menke JA, 291, 960
Mennesson MC, 804
Menten TG, 291, 960
Michel J, 647
Midura TF, 568
Migel PF, 923
Mikkelson E, 41
Miles R, 960
Miller FJ, 83
Miller JE, 291
Miller JJ III, 378
Miller LC, 675
Mills C, 47
Milner R, 606
Mineau DE, 83
Minella PA, 156
Miner ME, 687
Minnich LL, 762
Moatamed F, 83
Moel DI, 245
Monroe B, 334
Moomjian AS, 799
Mora LA, 424
Morens DM, 509
Morgan E, 1003
Morgan LJ, 173
Morin FC III, 458
Morris M, 660
Morris N, 768
Morrison D, 197
Morowitz G, 41
Morrow WR, 117
Moss TJ, 764
Mueller DG, 670
Murphy EG, 492
Murphy J, 284
Murphy S, 318, 665
Myers MG, 431

N

Naitana AF, 972
Najarian JS, 675
Nations-Shields M, 171
Navarrete M, 424
Nelson JD, 175
Nelson RM Jr, 835
Nelson TE, 272
Nesbit ME Jr, 907
Neter E, 508
New MI, 506
Newth C, 489
Newton MJ, 925
Nichols BL, 563
Nicholson JF, 168
Nickerson BG, 672
Niebrugge DJ 507
Niehaus C, 93
Nikiforuk G, 674
Norenberg MD, 946
Norling LL, 95
Norman ME, 815

O

O'Connor RD, 418
O'Connor S, 823
Odièvre M, 671
Ogra P, 508, 881
Oh W, 108, 791
Olson LC, 91
Opitz JM, 160
Ornoy A, 134
Osburne RC, 383
Ostrea EM Jr, 669
O'Toole J, 325
Owen-Boeddiker M, 894
Özsoylu S, 1000

P

Palumbo NE, 552
Papadatos CJ, 483
Papageorgiou AN, 766
Papas CV, 483
Parness I, 669
Passal DB, 1004
Patamasucon P, 175
Patriarca PA, 509
Patteron MWH, 995
Payne B, 101
Pellegrini F, 1000
Pelsor DA, 838
Peña J, 169
Penn D, 260
Pennisi AJ, 183
Perkin RM, 977
Perlman JM, 956
Peterson CM, 506
Peterson KE, 127
Petty RE, 995
Phillipps AF, 137
Phillips JA III, 127, 845
Piafsky KM, 820
Pickard LR, 935
Pickering LK, 839, 1005
Pincus DJ, 197
Pinsky L, 160
Piston RE, 505
Plotkin SA, 886
Poland RL, 335, 469, 671
Polin RA, 787
Polychronakos C, 839
Ponzi JW, 412
Post EM, 143
Potter EV, 836
Powell BR, 731
Powers WF, 334
Preist JR, 984, 990
Preus M, 903
Prineas RJ, 938

R

Rabe EF, 47
Rabinowitz A, 669
Radley-Smith R, 496
Ragab AH, 422
Raju TNK, 139
Ramsay NKC, 907, 984, 990
Rao AK, 69
Rao CP, 760
Raphaely RC, 663

Rasch DK, 272
Ratner I, 802
Raucher HS, 925
Rausen AR, 506
Ray CG, 762
Raye JR, 137
Realdi G, 366
Recchia M, 152
Reddi R, 272
Reeder JD, 599
Reedy J, 977
Repetto HA, 591
Repine JE, 98
Rex AP, 903
Rhodes AR, 219
Riccardi VM, 574
Richardson CJ, 272
Riggle MA, 670
Riggs TW, 149
Ringel SP, 51
Riopel L, 449
Rivarola MA, 387
Rivkind AI, 940
Roberts JL, 964, 968
Roberts RK, 325
Robertson GL, 76
Robinson WA, 168
Robles G, 424
Robson AM, 95
Rocci ML Jr, 655
Rodin AE, 156
Roloff JS, 917
Roman C, 101
Rose V, 757
Rosenbaum P, 606
Rosenfeld CR, 146
Rosenstein BJ, 1001
Rosenthal JT, 681
Rossi MR, 152
Roth S, 252
Rowe JC, 137
Rowley PT, 373
Rubenstein AH, 926
Rugge M, 366
Russ C, 591
Russo F, 1000
Rutter N, 614

S

Saigal S, 606
St. Geme JW Jr, 589
Salinas CF, 336
Salsburey DJ, 777
Sander J, 93
Sanders R, 127
Sandler HM, 823
Santiago JV, 338, 673
Sarnaik S, 404
Sarubbi FA, 435
Sasaguri Y, 225
Sattler M, 252
Saulsbury FT, 232
Schaad UB, 175
Schaeffer J, 1002
Schaible DH, 334, 655
Schärer K, 673
Scherz R, 704
Schidlow DV, 401
Schiffman G, 404
Schleman M, 69
Schmidt-Sommerfeld E, 260
Schneider B, 69
Schneider HA, 619
Schneider JA, 321, 934
Schneider K, 399
Schoeller DA, 638
Schrom HM, 123
Schuberth KC, 546
Schuster S, 863
Schwartz JG, 799
Schwartz R, 926
Schwarz HP, 704
Schwarzacher HG, 160
Schwied E, 960
Scott JP, 149, 323
Scott P, 489
Searcy JE, 59, 919
Seigle RL, 923
Seilheimer DK, 536
Sell SH, 197
Senior B, 660
Serwer GA, 297
Setzer ES, 599
Sever LE, 670
Shafer MAB, 339
Shaffer TH, 799
Shaham M, 134
Shankaran S, 469
Shannon K, 749
Shapiro DL, 722
Shapiro JE, 127
Shaw BW Jr, 681
Shaywitz BA, 41
Shaywitz SE, 41
Shekim WO, 830
Shen SC, 631
Shepherd RW, 325
Sherertz RJ, 435
Sherman MP, 587
Sherrod KB, 823
Sherry DD, 995
Shetter JL, 624
Shields DS, 171
Shields WD, 464
Shikes RH, 946
Shinnar S, 935
Shuper A, 769
Shutack JG, 799
Shwachman H, 863, 1002
Siebert JR, 835
Siegel NJ, 192
Siegler RL, 83
Shikes RH, 582
Shore A, 529
Siegel-Gorelick B, 633
Silber DL, 236
Silverberg M, 399
Silverman A, 51
Silverman BL, 149
Simmons MA, 255
Simpson U, 378
Sinaiko AR, 938
Sinclair JC, 1006
Singer SA, 328
Singer WD, 47, 242
Singla P, 156
Sink JD, 412
Sitarz AL, 984
Slotkowski EL, 837
Slovis TL, 469
Smith AL, 835
Smith DW, 160
Snyder J, 628
Soifer SJ, 458
Sokol RJ, 512
Solomon M, 245
Sommerville HM, 584
Sorensen K, 88
Sotelo-Avila C, 971
Sparks JW, 255
Spirer Z, 745
Spitz PW, 378
Spitzer AR, 806
Spranger J, 160
Springer C, 647
Springer J, 143
Stagno S, 172
Standaert TA, 284
Stanley CA, 840
Starfield B, 167
Stark H, 769
Stark PL, 362
Starr S, 727
Starr SE, 886
Starzl TE, 681
Steele MW, 243
Steichen JJ, 59, 919, 951
Steichen-Asche PS, 919
Steiner G, 757
Steinherz PG, 984
Stene DO, 946
Stenzel P, 731
Stern RH, 925
Stevenson DK, 515, 622
Stillman AE, 414
Stonestreet BS, 791
Stoskopf B, 606
Strauss L, 631
Streeten DHP, 143
Strickland AD, 749
Strieder DJ, 863
Strong LC, 574
Stuart JJ, 579
Stumpf DA, 946
Suganuma T, 842
Sullivan LR, 47
Sumner DS, 291
Sunshine P, 515, 622
Susa JB, 926
Suttle EA, 514
Swedlow DB, 655, 663
Sweet RL, 339
Szklo M, 546
Szymaniak G, 334

T

Tabachnik E, 489
Takahashi M, 881
Takemine H, 1005
Tamary H, 940
Tapia L, 762
Tarr PI, 302
Taudorf E, 98
Tayloe DT Jr, 412
Taylor DN, 1004
Teichberg S, 399
Teijema LL, 929
Thach BT, 964, 968
Thompson B, 568
Thorner PS, 760
Thulasimany M, 174
Tibbles JAR, 409
Tildon JT, 841
Tojo R, 169
Toma S, 760
Toussaint D, 337
Tran NN, 511
Travis LB, 188
Trevisan A, 366
Trigg ME, 984
Troll V, 507
Troup G, 665
Truog WE, 284
Tsang RC, 59, 277, 782, 919, 951
Tsugawa C, 1005
Tubergen DG, 984
Turtz MG, 401
Tygstrup I, 975

U

Uderzo C, 152
Ueda K, 512
Uittenbogaart CH, 183
Underwood LE, 932
Unger A, 762
Urrutia JJ, 351

V

Vainsel M, 509
Valenti WM, 722
Valentine MD, 546
Vallotton MB, 898
Van den Berghe G, 168
Vandenbussche E, 672
Vanderschueren-Lodeweyckx M, 672
Van Vliet G, 509
Van Wyk JJ, 932
Varsano I, 769
Vaz R, 660
Vazquez LA, 591

Venturelli J, 768
Vernier RL, 235
Versmold HT, 454
Vidyasagar D, 139
Vietze PM, 823
Vileisis RA, 88, 108
Viteri FE, 351
Volpe JJ, 395, 956
Voss R, 134

W

Wagner ML, 536
Wald A, 65
Walpole IR, 250
Walsh PN, 69
Wandall JH, 98
Warren NS, 373
Warshaw BL, 183
Waskerwitz S, 511
Wassenaar JW, 599
Watcha M, 663
Watkinson M, 170
Webb IB, 599
Webb R, 977
Weibel RE, 886
Weinberger M, 170
Weisman Y, 745
Weissbluth M, 508
Welch DF, 393
Welch NM, 232
Welchert E, 21
Wenger DA, 252
Wennberg RP, 624
Wermer D, 628
Wharton CH, 156
White L, 984
White NH, 338, 673
Whitington PF, 514
Widness JA, 926
Williams GF, 378
Williams ML, 143
Williams PR, 626
Williamson ML, 870
Willis J, 69
Wilson ER, 172
Wilson G, 757
Wilson JT, 312
Winter RJ, 838
Winterer J, 840
Wiriyathian S, 146
Wisotsky DH, 923
Wolf AW, 351
Wolf H, 260
Wolpert S, 47
Wolter R, 509
Woodrum DE, 284
Woolner EA, 820
Wright K, 302
Wright PF, 197
Wu R, 59

Y

Yabuuchi H, 881
Yacoub M, 496
Yamada T, 1005
Yano SS, 415
Yarkoni S, 134
Yatziv S, 940
Yeager AS, 715
Younoszai MK, 213

Z

Zackai EH, 943
Zarrouk SO, 422
Zeller RS, 796
Zeller WP, 926
Zimmerman A, 704
Zitelli B, 65
Zitelli BJ, 681
Zuppinger KA, 704
Zurlo MG, 152

*Subject index**

A

Abdominal pain, chronic, caused by sorbitol malabsorption (Hyams) (BCLO), 772
recurrent—lactose malabsorption in (Wald et al), 65
Absorption, normal fat—improved respiratory prognosis with (Gaskin et al), 857
Abuse, child—antecedents of (Altemeier et al), 823
Acid, serum valproic, and saliva levels in epileptic children (Fung and Ueda) (Letter), 512; (Friedman) (Reply), 512
Acidemia type II, glutaric: Clinical, biochemical, and morphologic considerations (Goodman et al) (BCLO), 946
Acidification, urinary—use of arginine hydrochloride infusion to assess (Loney et al) (BCLO), 95
Acidosis, ketolactic, complicating malignancy—insulin therapy for (Coleman et al) (BCLO), 584
lactic, deafness, and mental retardation—hyporeninemic hypoaldosteronism in child with (Shuper et al) (BCLO), 769
transient methemoglobinemia with (Yano et al) (BCLO), 415
Acropustulosis, infantile, with eosinophilic pustules (Lucky and McGuire) (BCLO), 428
Adolescence—educational correlates of early and late sexual maturation in (Duke et al), 633
Adolescence—Cont'd
urinary prostaglandins, vasopressin, and kallikrein excretion in healthy children from birth to (Godard et al), 898
Adolescent(s), autonomous thyroid nodules in: Clinical characteristics and results of TRH testing (Osburne et al), 383
children, and older infants—necrotizing enterocolitis in (Moss and Adler) (BCLO), 764
female, acute salpingitis in (Shafer et al), 339
obese—optimal dietary therapy for: Comparison of protein plus glucose and protein plus fat (Dietz and Schoeller), 638
with disseminated gonorrhea—pharynx as only positive culture site in (Cramolini and Litt) (BCLO), 644
Adrenal effects of beclomethasone inhalation therapy in asthmatic children (Vaz et al) (BCLO), 660
hyperplasia, congenital—neoplasms associated with (Levine and New) (Letter), 506; (Bongiovanni) (Letter), 507
Age—effect on concurrent administration of phenobarbital and valproic acid (Curatolo) (Letter), 841; (Suganuma et al) (Reply), 842
postnatal, and magnesium—role of parathyroid hormone responses during "exchange" blood transfusion in newborn period (Dincsoy et al), 277
-related response to two *Haemophilus influenzae* type b vaccines (Pincus et al), 197

*January, pp. 1-174; February, pp. 175-338; March, pp. 339-514; April, pp. 515-674; May, pp. 675-844; June, 845-1008.

Airway(s), nasopharyngeal, in Pierre Robin syndrome (Heaf et al), 698
obstruction, pharyngeal, in preterm infants during mixed and obstructive apnea (Mathew et al), 964
Aldosteronism (hypo-), hyporeninemic, in child with latic acidosis, deafness, and mental retardation (Shuper et al) (BCLO), 769
Alkaline phosphatase, transient elevation of, possibly related to trimethoprim-sulfamethoxazole therapy (DeVito) (BCLO), 998
Alkalosis and stool chloride losses (Albert) (Letter), 1007; (Kaplan) (Reply), 1008
Allergy, insect—epidemiologic study of. I. Characteristics of disease (Schuberth et al), 546
Alpha$_1$-acid glycoprotein in cord serum—binding of basic drugs to (Piafsky and Woolner) (BCLO), 820
Aminoglycoside overdose in neonates (Bolam et al) (Letter), 835; (Smith) (Reply), 835
D-Amphetamine—dopamine-norepinephrine interaction in hyperactive boys treated with (Shekim et al), 830
Anal incontinence, biofeedback therapy in management of (Chapoy and Ament) (Letter), 336
sphincter response, abnormal, in chronically constipated children (Loening-Baucke and Younoszai), 213
Anemia, latent pernicious—vitamin B_{12} deficiency in infant strictly breast-fed by mother with (Johnson and Roloff) (BCLO), 917
severe aplastic—use of antithymocyte globulin in treatment of (Cairo and Baehner), 307
sickle cell, given polyvalent pneumococcal vaccine—type-specific antibodies in children with (Kaplan et al) (BCLO), 404
Anemic infants, iron-deficient—effects of short-term oral iron therapy on developmental deficits in (Lozoff et al), 351
Aneurysm(s), cerebral berry (Rodin et al), 156
following Kawasaki disease (Patriarca and Morens) (Letter), 509; (Ament) (Reply), 510
in Kawasaki disease, regression of: Pathological study (Sasaguri and Kato), 225
Angiomatous lymphoid hamartoma—inhibition of growth hormone response to (Van Vliet et al) (Letter), 509; (Buchanan) (Reply), 509
Anion gap, cerebrospinal fluid (Olson and Arnoldi) (BCLO), 91
Aniridia/iris dysplasia and apparently normal chromosomes with Wilms tumor (Riccardi et al), 574
Antibody(ies) deficiency and hypogammaglobulinemia in patients with elevated sweat chloride concentrations (Corkey and Gelfand) (BCLO), 420
blood group, induced by pneumococcal vaccine (Potter) (Letter), 836; (Boyer and Gotoff) (Reply), 837
pan-reactive anti-T cell, OKT 3, to prevent graft versus host disease in severe combined immunodeficiency (Hayward et al) (BCLO), 665
type-specific, in children with sickle cell anemia given polyvalent pneumococcal vaccine (Kaplan et al) (BCLO), 404
Antithrombin, plasminogen, and plasma coagulation during therapy for acute lymphoblastic leukemia—effect of L-asparaginase on (Priest et al), 990
Antithymocyte globulin used in treatment of severe aplastic anemia (Cairo and Baehner), 307
Anus, imperforate, abnormalities of hands and feet, satyr ears, and sensorineural deafness—syndrome of (Walpole and Hockey) (BCLO), 250
"Aphresis," derivation of (Polychronakos) (Letter), 839
Aplastic anemia, severe—use of antithymocyte globulin in treatment of (Cairo and Baehner), 307
Apnea, mixed and obstructive, and apnea associated with pulmonary and neurologic disease—efficacy of theophylline in premature infants with (Roberts et al) (BCLO), 968
pharyngeal airway obstruction in preterm infants during (Mathew et al), 964
movement and gastroesophageal reflux in awake term infants with "near miss" SIDS, unrelated to (Ariagno et al), 894
obstructive sleep (Brouillette et al), 31
Arachnodactyly, congenital contractual, and Marfan-like features (Meinecke) (Letter), 1006; (Bass) (Reply), 1007
Arginine hydrochloride infusion used to assess urinary acidification (Loney et al) (BCLO), 95
Arterial hyperoxia in newborn with transposition of great vessels (Batton et al) (BCLO), 300
pulsatile flow measurements, cerebral, and intracranial pressure in neonatal intraventricular hemorrhage (Bada et al), 291
Arteriosus flow, patent ductus—continuous wave Doppler ultrasonographic quantitation of (Serwer et al) (BCLO), 297
patent ductus, after surfactant replacement therapy—increased shunt through (Clyman et al), 101
Arthritis in childhood—social function of young adults who had (Miller et al), 378
juvenile psoriatic—analysis of 60 cases (Shore and Ansell), 529
Arthrogryposis, myopathic, with seizures and abnormal electroencephalogram (Kalyanaraman and Kalyanaraman) (BCLO), 247
Ascites, neonatal—GM$_1$ gangliosidosis presenting as (Abu-Dalu et al) (BCLO), 940
L-Asparaginase—effect of antithrombin, plasinogen, and plasma coagulation during therapy for acute lymphoblastic leukemia (Priest et al), 990
therapy for acute lymphoblastic leukemia—syndrome of thrombosis and hemorrhage complicating (Priest et al), 984
Asphyxia and hypotension in newborn piglets—effects of different rates of plasmanate infusions upon brain blood flow after (Laptook et al), 791
perinatal—continuous monitoring of electroencephalogram following (Coen et al) (BCLO), 628
Asphyxiated premature infants—prognostic value of computed tomography of brain in (Fitzhardinge et al), 476
Aspiration, bone marrow, with 22-gauge spinal needle (Dinndorf et al) (BCLO), 595
experimental meconium—effects of PEEP and tolazoline infusion on respiratory and inert gas exchange in (Truog et al), 284
Asthma, childhood—significant advance in treatment of: Sustained-release theophylline (Tabachnik et al) (BCLO), 489
Asthmatic children—adrenal effects of beclomethasone inhalation therapy in (Vaz et al) (BCLO), 660
Ataxia telangiectasia, prenatal diagnosis of (Shaham et al) (BCLO), 134

Atelectasis, multilobar, secondary to fibrinous mediastinitis—spontaneous resolution of (Chipps et al) (BCLO), 935
postextubation: Role of oral versus nasal endotracheal tubes (Spitzer and Fox) (BCLO), 806
Atresia, extrahepatic biliary, and polysplenia syndrome—abnormal cilia in child with (Teichberg et al) (BCLO), 399
studies in etiology of: Time-space clustering (Strickland and Shannon), 749
tricuspid, managed with orally administered prostaglandin E_2 (Coe et al) (BCLO), 496
Atrial flutter in infancy (Martin and Hernandez) (BCLO), 239
thrombus, catheter-related—urokinase therapy for (Delaplane et al) (BCLO), 149
Auditory brainstem response, abnormal, in newborn infant with hyperbilirubinemia: Improvement with exchange transfusion (Wennberg et al) (BCLO), 624
Autoantibodies, organ-specific, with common endocrine diseases (Bright et al), 8

B

Bacteremia, outpatient identification of children with (Lorin) (Letter), 510; (Waskerwitz and Berkelhamer) (Reply), 511
Bacterial contamination of oral rehydration solutions (Watkinson) (Letter), 170; (Shields et al) (Reply), 171
meningitis—use of moxalactam for (Kaplan et al) (Letter), 843; (Dajani) (Reply), 843
non-, endocardial thrombosis in neonates: Relationship to persistent fetal circulation (Murrow et al), 117
Bayley Scales of Infant Development, inappropriate interpretation of (Morgan) (Letter), 173; (Markestad and Fitzhardinge) (Reply), 173
Beclomethasone inhalation therapy in asthmatic children—adrenal effects of (Vaz et al) (BCLO), 660
Biliary atresia, extrahepatic, and polysplenia syndrome—abnormal cilia in child with (Teichberg et al) (BCLO), 399
studies in etiology of: Time-space clustering (Strickland and Shannon), 749
Biochemical effects, short-term, of parenteral calcium treatment of early-onset neonatal hypocalcemia (Brown and Salsburey), 777
Biofeedback therapy in management of anal incontinence (Chapoy and Ament) (Letter), 336
Birth weight, 501 to 1,500 gm—follow-up of infants delivered to residents of geographically defined region with perinatal intensive care facilities (Saigal et al), 606
Blood concentrations, carnitine, and fat utilization in parenterally alimented premature newborn infants (Schmidt-Sommerfeld et al), 260
flow, brain, after asphyxia and hypotension in newborn piglets—effects of different rates of plasmanate infusions upon (Laptook et al), 791
velocity, cerebral, in relation to intraventricular hemorrhage in premature newborn infant (Perlman and Volpe), 956
group antigens induced by pneumococcal vaccine (Potter) (Letter), 836; (Boyer and Gotoff) (Reply), 837
pressure, high and low—urinary kallikrein excretion in grade school children with (Sinaiko et al) (BCLO), 938
Blood—Cont'd
reconstituted, for exchange transfusion in newborn infants—hematocrit of (Sotelo-Avila et al) (BCLO), 971
transfusion, "exchange," in newborn period—role of postnatal age and magnesium on parathyroid hormone responses during (Dincsoy et al), 277
serum calcitonin response to administration of calcium in newborn infants during (Dincsoy et al), 782
viscosity during neonatal period: Role of plasma and red blood cell type (Riopel et al), 449
Book reviews
Child abuse and neglect: A medical reference (Lascari), 776
The Damocles syndrome—psychosocial consequences of surviving childhood cancer (Detwiler), 774
Differential diagnosis on treatment of pediatric allergy (Siegel), 775
The intersex child (Pardo), 482
Pediatric dermatology (Silber), 482
Practical pediatrics: Selected abstracts, first annual edition (Pearson and Siber), 775
Sexually abused children and their families (Solomons), 774
Bone marrow aspiration with a 22-gauge spinal needle (Dinndorf et al) (BCLO), 595
mineral content and serum 25-hydroxyvitamin D concentrations in breast-fed infants with and without supplemental vitamin D: One-year follow-up (Greer et al) (BCLO), 919
mineralization in very LBW infants fed formulas with Polycose and medium-chain triglycerides—effects of increased calcium, phosphorus, and vitamin D intake on (Greer et al), 951
Botulism, infant—protective role of human milk against sudden death from (Arnon et al), 568
Bradycardia and lethargy, persistent: Dilantin toxicity in preterm infant (Wiriyathian et al) (BCLO), 146
Brain blood flow after asphyxia and hypotension in newborn piglets—effects of different rates of plasmanate infusions upon (Laptook et al), 791
in asphyxiated premature infants—prognostic value of computed tomography of (Fitzhardinge et al), 476
-injured children, hypothermic—high-dose pentobarbital pharmacokinetics in (Schaible et al), 655
neonatal—window to: Anterior fontanel (Volpe) (Commentary), 395
Brainstem response, abnormal auditory, in newborn infant with hyperbilirubinemia: Improvement with exchange transfusion (Wennberg et al) (BCLO), 624
Breast-fed infant(s)—dietary chloride deficiency syndrome occurring in (Asnes et al) (BCLO), 923
—increasing serum calcium and magnesium concentrations in: Longitudinal studies of minerals in human milk and in sera of nursing mothers and their infants (Greer et al), 59
normal—vitamin K–dependent clotting factors in (Jiménez et al) (BCLO), 424
strictly, by mother with latent pernicious anemia—vitamin B_{12} deficiency in (Johnson and Roloff) (BCLO), 917
vitamin D supplementation in (Özsoylu and Hasanoglu) (Letter), 1000
with and without supplemental vitamin D—bone mineral content and serum 25-hydroxyvitamin D concentrations in: One-year follow-up (Greer et al) (BCLO), 919

Breast-feeding jaundice (Monroe) (Letter), 334; (Powers) (Letter), 334; (Poland) (Reply), 335
-milk jaundice, more on (Odièvre and Luzeau) (Letter), 671; (Poland) (Reply), 671
Bromism, neonatal, secondary to maternal exposure in photographic laboratory (Mangurten and Kaye) (BCLO), 596

C

Calcifediol (25-hydroxyvitamin D_3) therapy of juvenile renal osteodystrophy: Beneficial effect on linear growth velocity (Langman et al), 815
Calcifications, intracranial—cranial ultrasound in detection of (Dykes et al) (BCLO), 406
Calcitonin response, serum, to administration of calcium in newborn infants during exchange blood transfusion (Dincsoy et al), 782
Calcium, administration of, in newborn infants during exchange blood transfusion—serum calcitoninin response to (Dincsoy et al), 782
and magnesium concentrations, increasing serum, in breast-fed infants: Longitudinal studies of minerals in human milk and in sera of nursing mothers and their infants (Greer et al), 59
phosphorus, and vitamin D, increased—effects of intake on bone mineralization in very low-birth-weight infants fed formulas with Polycose and medium-chain triglycerides (Greer et al), 951
treatment, parenteral, of early onset neonatal hypocalcemia—short-term biochemical effects of (Brown and Salsbury), 777
Captopril, treatment of neonatal hypertension with (Bifano et al) BCLO), 143
Carbenicillin-associated hepatotoxicity—use of ticarcillin following (Graft and Chesney) (BCLO), 497
Cardiomyopathy, hypertrophic, in midtrimester fetus born to diabetic mother (Leslie et al) (BCLO), 631
Care facilities, perinatal intensive—follow-up of infants 501 to 1,500 gm birth weight delivered to residents of geographically defined region with (Saigal et al), 606
modern neonatal intensive—growth to age 3 years among very LBW sequelae-free survivors of (Kimble et al) (BCLO), 622
Carnitine and neonatal ketosis (Winterer) (Letter), 840; (Anday et al) (Reply), 840
blood concentrations and fat utilization in parenterally alimented premature newborn infants (Schmidt-Sommerfeld et al), 260
Catheter-related right atrial thrombus—urokinase therapy for (Delaplane et al) (BCLO), 149
umbilical—semiquantitative cultures and routine tip cultures on (Adam et al), 123
Cefotaxime, treatment of severe neonatal infections with. Efficacy and pharmacokinetics (Ka'etzis et al), 483
Cell anemia, sickle, given polyvalent pneumococcal vaccine—type-specific antibodies in children with (Kaplan et al) (BCLO), 404
antibody, pan-reactive anti-T, OKT 3, to prevent graft versus host disease in severe combined immunodeficiency (Hayward et al) (BCLO), 665
folate, red, and plasma values and folate requirements in formula-fed term infants (Ek and Magnus), 738
Cell—Cont'd
necrosis, pancreatic islet: Association with hemolytic-uremic syndrome (Burns et al) (BCLO), 582
riboflavin, red, status and on glucose-6-phosphate dehydrogenase activity in normal and G-6-PD–deficient subjects with neonatal jaundice—effect of phototherapy on (Meloni et al) (BCLO), 972
type, red blood, and plasma—role of: Blood viscosity during neonatal period (Riopel et al), 449
Cerebral arterial pulsatile flow measurements and intracranial pressure in neonatal intraventricular hemorrhage (Bada et al), 291
berry aneurysm (Rodin et al), 156
blood flow velocity in relation to intraventricular hemorrhage in premature newborn infant (Perlman and Volpe), 956
perfusion studies in healthy preterm and term newborn infants (Raju et al) (BCLO), 139
Cerebrospinal fluid anion gap (Olson and Arnoldi) (BCLO), 91
relation of concentrations of *Haemophilus influenzae* type b in, to late sequelae of patients with meningitis (Feldman et al), 209
Chloride and sodium values, sweat (Rosenstein and Langbaum) (Letter), 1001; (Shwachman) (Reply) 1002
concentrations, elevated sweat—hypogammaglobulinemia and antibody deficiency in patients with (Corkey and Gelfand) (BCLO), 420
deficiency syndrome, dietary, occurring in breast-fed infant (Asnes et al) (BCLO), 923
losses, stool, and alkalosis (Albert) (Letter), 1007; (Kaplan) (Reply), 1008
Cholestasis, chronic, and vitamin E deficiency—progressive neuromuscular disease with: Diagnosis and treatment with alpha tocopherol (Guggenheim et al), 51
Chromosomes, apparently normal, and aniridia/iris dysplasia with Wilms tumor (Riccardi et al), 574
Cilia, abnormal, in child with polysplenia syndrome and extrahepatic biliary atresia (Teichberg et al), (BCLO), 399
respiratory—association with: Polysplenia and Kartagener syndromes in sibship (Schidlow et al) (BCLO), 401
Cimetidine use with cystic fibrosis: Inhibition of hepatic drug metabolism (Bradbear et al) (BCLO), 325
Circulation, persistent fetal—relationship to: Nonbacterial endocardial thrombosis in neonates (Murrow et al), 117
Circumcision, neonatal—contraindications to (Slotkowski) (Letter), 837; (Kurnetz) (Reply), 837
Clonidine, oral—effective growth hormone–releasing agent in prepubertal subjects (Lanes and Hurtado), 710
Clostridia isolated from the feces of infants during first year of life (Stark and Lee), 362
Clostridium difficile and toxin in nursery population, prevalence of: Comparison between patients with necrotizing enterocolitis and asymptomatic group (Sherertz and Sarubbi), 435
—is it pathogenic in infants? (Welch and Marks) (Editor's column), 393
toxin in asymptomatic neonates (Donta and Myers), 431
Clotting factors, vitamin K–dependent, in normal breast-fed infants (Jiménez et al) (BCLO), 424
Coagulation, disseminated intravascular, in neonate—controlled study of treatment for (Gross et al), 445
fibrinolytic syndrome, desseminated intravascular, following head injury: Frequency and prognostic implications (Miner et al), 687

Coagulation—Cont'd
(plasinogen, antithrombin, and plasma) during therapy for acute lymphoblastic leukemia—effect of L-asparaginase on (Priest et al), 990
studies in children with isolated recurrent epistaxis (Kiley et al) (BCLO), 579
Coagulopathy and platelet dysfunction in intraventricular hemorrhage in premature infant (Setzer et al), 599
Cohen syndrome—sexual development in girl with (de Toni and Cafiero) (Letter), 1001
Colitis, neonatal eosinophilic (Sherman and Cox) (BCLO), 587
Coma, delayed, associated with salicylate intoxication (Dove and Jones (BCLO), 493
early pentobarbital, and hypothermia—outcome in severe Reye syndrome with (Frewen et al) (BCLO), 663
Computed tomography of brain in asphyxiated premature infants, prognostic value of (Fitzhardinge et al), 476
Congenital adrenal hyperplasia, neoplasms associated with (Levine and New) (Letter), 506; (Bongiovanni) (Letter), 507
contractual arachnodactyly and Marfan-like features (Meinecke) (Letter), 1006; (Bass) (Reply), 1007
erythrocytosis in absence of detectable erythropoietin (Buchanan) (BCLO), 593
hydronephrosis, skeletal dysplasia, and severe development retardation: Schinzel-Giedion syndrome (Kelley et al) (BCLO), 943
hypothyroidism, screening program for—screening test for syphilis-specific antibodies added to (Sander and Niehaus) (BCLO), 93
muscular dystrophy: Clinicopathologic report of 24 cases (McMenamin et al), 492
nevocellular nevi, small, and risk of cutaneous melanoma (Rhodes and Melski), 219
rubella syndrome, late-onset—rubella virus reinfection during pregnancy leading to (Levine et al) (BCLO), 589
syphilis, late appearance of nephrotic syndrome in (Repetto et al) (BCLO), 591
Constipated children, chronically—abnormal anal sphincter response in (Loening-Baucke and Younoszai), 213
Contractual arachnodactyly, congential, and Marfan-like features (Meinecke) (Letter), 1006; (Bass) (Reply), 1007
Copper supplementation in premature infants (Manser et al) (Letter) 511; (Hillman) (Reply), 511
Cord serum—binding of basic drugs to alpha$_1$-acid glycoprotein in (Piafsky and Woolner) (BCLO), 820
Coronary death at age 3 in a homozygous child and prenatal diagnosis in a heterozygous sibling, report of: Familial hypercholesterolemia (Rose et al) (BCLO), 757
Cranial, intra-, hemorrhage—sonographic classification of. Prognostic indicator of mortality, morbidity, and short-term neurologic outcome (Shankaran et al), 469
pressure and cerebral arterial pulsatile flow measurements in neonatal intraventricular hemorrhage (Bada et al), 291
ultrasound in detection of intracranial calcifications (Dykes et al) (BCLO), 406
C-Reactive protein, serum, and site of urinary tract infections (Hellerstein et al), 21
Cultures, semiquantitative, and routine tip cultures on umbilical catheters (Adam et al), 123
Cutaneous melanoma, risk of, and small congenital nevocellular nevi (Rhodes and Melski), 219
Cyclosporin A and steroids—liver and kidney transplantation in children receiving (Starzl et al), 681
Cyst, splenic, with salvage of functional splenic tissue—removal of (Sink et al) (BCLO), 412; Comment (Lascari), 414
Cysteamine concentrations, plasma, in children treated for cystinosis (Jonas and Schneider) (BCLO), 321
Cystic fibrosis, cimetidine use with: Inhibition of hepatic drug metabolism (Bradbear et al) (BCLO), 325
clinical forms of: Commentary (Barbero) (Editor's column), 914
complications of gastroesophageal reflux with (Bendig et al), 536
—dosing implications of altered gentamicin disposition with (Kearns et al), 312
patient with normal fat absorption, improved respiratory prognosis in (Gaskin et al), 857
—pharmacokinetics of tobramycin in (Kelly et al) (BCLO), 318
—pneumothorax in: Management and outcome (McLaughlin et al), 863
vitamin E status in (Sokol) (Letter), 512; (Castillo and Lewiston) (Reply), 513
Cystinosis in black child (Jonas and Schneider) (BCLO), 934
plasma cysteamine concentrations in children treated for (Jonas and Schneider) (BCLO), 321

D

Day-care center, salmonellosis in (Lieb et al) (Letter), 1004; (Pickering and DuPont) (Reply), 1005
Deafness, lactic acidosis, and mental retardation—hyporeninemic hypoaldosteronism in child with (Shuper et al) (BCLO), 769
sensorineural, imperforate anus, abnormalities of hands and feet, satyr ears—syndrome of (Walpole and Hockey) (BCLO), 250
Death, sudden, from infant botulism—protective role of human milk against (Arnon et al), 568
near-miss sudden infant—alternatives for (Nickerson) (Letter), 672
sudden infant—elevated values of tri-iodothyronine in victims of (Benjamin and Beckwith) (Letter), 841; (Tildon) (Reply), 841
Development, Bayley Scales of—inappropriate interpretation of (Morgan) (Letter), 173; (Markestad and Fitzhardinge) (Reply), 173
sexual, in girl with Cohen syndrome (de Toni and Cafiero) (Letter), 1001
Developmental deficits in iron-deficient anemic infants—effects of short-term oral iron therapy on (Lozoff et al), 351
retardation, severe, congenital hydronephrosis, and skeletal dysplasia: Schinzel-Giedion syndrome (Kelley et al) (BCLO), 943
Diabetes, importance of control of (Vandenbussche et al) (Letter), 672; (White and Santiago) (Reply), 673
insipidus, familial central—radioimmunoassay of vaspopressin in (Kaplowitz et al), 76
with improved metabolic control—reversal of complications of (Dorchy and Toussaint) (Letter), 337; (White and Santiago) (Reply), 338

Diabetes—Cont'd
mellitus, insulin-dependent, during hemolytic-uremic syndrome—development of (Andreoli and Bergstein), 541
permanent neonatal, in infant of insulin-dependent mother (Widness et al) (BCLO), 926
Diabetic mother—hypertrophic cardiomyopathy in midtrimester fetus born to (Leslie et al) (BCLO), 631
Dialysis, peritoneal, update (Fine), 1
Diarrhea, chronic, in infants caused by adherent enteropathogenic *Escherichia coli* Clausen and Christie), 385
polyendocrinopathy, and fatal infection in infancy—x-linked syndrome of (Powell et al), 731
use of Pepto-Bismol in (Arndt and Burns) (Letter), 839; (Feldman and Pickering) (Reply), 839
Diet discontinuation in phenylketonuria—preliminary report on effects of (Koch et al), 870
Dietary chloride deficiency syndrome occurring in breast-fed infant (Asnes et al) (BCLO), 923
therapy, optimal, for obese adolescents; Comparison of protein plus glucose and protein plus fat (Dietz and Schoeller), 638
Dilantin toxicity in preterm infant: Persistent bradycardia and lethargy (Wiriyathian et al) (BCLO), 146
Disease *see* specific disease
Dobutamine: Hemodynamic evaluation with shock (Perkin et al), 977
Dopamine-norepinephrine interaction in hyperactive boys treated with D-amphetamine (Shekim et al), 830
therapy, gangrene in neonate following (Maggi et al) (BCLO), 323
Doppler ultrasonographic quantitation, continuous wave, of patent ductus arteriosus flow (Serwer et al) (BCLO), 297
Dosage for oral theophylline therapy, individualization of (Cabanas et al) (Letter), 169 (Weinberger) (Reply), 170
Dosing implications of altered gentamicin disposition in patients with cystic fibrosis (Kearns et al), 312
"Double blind," indeed: (Berman et al) (Letter), 669; (Merrill) (Reply), 669
Down syndrome, diagnostic index for (Rex and Preus), 903
21q/21q translocation—recurrence risk in (Garver et al) (BCLO), 243
Drowning, near—pulmonary function abnormalities in survivors of (Laughlin and Eigen), 26
Drug, poly-(including methadone) users—duration of thrombocytosis in infants of (Burstein et al) (Letter), 506
replacement following exchange transfusion (Lackner), 811
Duodenal perforation with tolazoline therapy (Matsuo et al) (Letter), 1005
Durate variant and galactosemia—galactose intolerance in individuals with double heterozygosity for (Schwarz et al), 704
Dysplasia, aniridia/iris, and apparently normal chromosomes with Wilms tumor (Riccardi et al), 574
fibromuscular—spontaneous reversal of hypertension caused by (Siegler et al) (BCLO), 83
hematopoietic, and marrow hypocellularity: Preleukemic condition (Kobrinsky et al), 907
skeletal, congenital hydronephrosis, and severe developmental retardation: Schinzel-Giedion syndrome (Kelley et al) (BCLO), 943
Dystrophy, congenital muscular: Clincopathologic report of 24 cases (McMenamin et al), 492
Dystrophy—Cont'd
twenty-nail (trachyonychia) associated with selective IgA deficiency (Leong et al) (BCLO), 418

E

Ears, satyr, imperforate anus, abnormalities of feet and hands, and sensorineural deafness—syndrome of (Walpole and Hockey) (BCLO), 250
Educational correlates of early and late sexual maturation in adolescence (Duke et al), 633
Electrode temperature and hypotension, effect of: Skin surface P_{CO_2} monitoring in newborn infants in shock (Brünstler et al), 454
Electroencephalogram, abnormal, and seizures—myopathic arthrogryposis with (Kalyanaraman and Kalyanaraman) (BCLO), 247
following perinatal asphyxia—continuous monitoring of (Coen et al) (BCLO), 268
Enamel hypoplasia, etiology of (Schärer and Komposch) (Letter), 673; (Nikiforuk and Fraser) (Reply), 674
Endocardial thrombosis, nonbacterial, in neonates: Relationship to persistent fetal circulation (Murrow et al), 117
Endocrine diseases, common—organ-specific autoantibodies with (Bright et al), 8
Endonuclease analysis, restriction—diagnosis by: Genetic disease (Antonarakis et al), 845
Endotracheal tubes—role of nasal versus oral: Postextubation atelectasis (Spitzer and Fox) (BCLO), 806
Enterocolitis, necrotizing, among low-birth-weight infants—epidemiologic study of (Kliegman et al), 440
and asymptomatic group, comparison between patients with: Prevalence of *Clostridium difficile* and toxin in nursery population (Sherertz and Sarubbi), 435
in older infants, children, and adolescents (Moss and Adler) (BCLO), 764
Enteropathogenic *Escherichia coli*, adherent—chronic diarrhea in infants caused by (Clausen and Christie), 358
Enthesopathy and HLA-B27-associated spondyloarthritis in clinical, pathologic and radiographic observations in 58 patients (Jacobs et al), 521
Eosinophilic colitis, neonatal (Sherman and Cox) (BCLO), 587
pustules, infantile acropustulosis with (Lucky and McGuire) (BCLO), 428
Epidemic of Kawasaki syndrome in Hawaii (Dean et al), 552
Epidemiologic and immunologic aspects of varicella infection acquired during infancy and early childhood (Baba et al), 881
study of insect allergy. I. Characteristics of disease (Schubert et al), 546
necrotizing enterocolitis among low-birth-weight infants (Kliegman et al), 440
Epileptic children—saliva and serum valproic acid levels in (Fung and Ueda) (Letter), 512; (Friedman) (Reply), 512
Epistaxis, isolated recurrent—coagulation studies in children with (Kiley et al) (BCLO), 579
Epstein-Barr virus infections—non-X-linked syndrome with susceptibility to severe (Fleisher et al), 727
Erythrocytosis, congenital, in absence of detectable erythropoietin (Buchanan) (BCLO), 593
Erythropoietin, detectable—congenital erythrocytosis in absence of (Buchanan) (BCLO), 593
Escherichia coli, adherent enteropathogenic—chronic diarrhea in infants caused by (Clausen and Christie), 358

Esophagitis, herpes simplex, in healthy 10-year-old boy (Bastian and Kaufman) (BCLO), 406
Examinations, preschool: Rites of summer (Silber) (Editor's column), 236
"Exchange" blood transfusion in newborn period—role of postnatal age and magnesium on parathyroid hormone responses during (Dincsoy et al), 277
—serum calcitonin response to administration of calcium in newborn infants during (Dincsoy et al), 782
intensive plasma—hemostatic system in children undergoing (Rao et al), 69
transfusion, drug replacement following (Lackner), 811
improvement with: Abnormal auditory brainstem response in newborn infant with hyperbilirubinemia (Wennberg et al) (BCLO), 624
in leukemia with hyperleukocytosis (Del Vasto et al) (Letter), 1000
newborn infants—hematocrit of reconstituted blood for (Sotelo-Avila et al) (BCLO), 971
Extubation, post-, atelectasis: Role of oral versus nasal endotracheal tubes (Spitzer and Fox) (BCLO), 806

F

Familial central diabetes insipidus—radioimmunoassay of vasopressin in (Kaplowitz et al), 76
hypercholesterolemia: Report of coronary death at age 3 in homozygous child and prenatal diagnosis in heterozygous sibling (Rose et al) (BCLO), 757
Fat absorption, normal—improved respiratory prognosis in CF patient with (Gaskin et al), 857
accumulation, intravascular, after Intralipid infusion in very low-birth-weight infant (Hertel et al) (BCLO), 975
plus protein and protein plus glucose—comparison of: Optimal dietary therapy for obese adolescents (Dietz and Schoeller), 638
utilization and carnitine blood concentrations in parenterally alimented premature newborn infants (Schmidt-Sommerfeld et al), 260
Feces of infants during first year of life—clostridia isolated from (Stark and Lee), 362
Feeding, breast-, jaundice (Monroe) (Letter), 334; (Powers) (Letter), 334; (Poland) (Reply), 335
Feet and hands, abnormalities of, imperforate anus, satyr ears, and sensorineural deafness—syndrome of (Walpole and Hockey) (BCLO), 250
Fetal circulation, persistent—relationship to: Nonbacterial endocardial thrombosis in neonates (Murrow et al), 117
Fetus, midtrimester, born to diabetic mother—hypertrophic cardiomyopathy in (Leslie et al) (BCLO), 631
Fibrinolytic syndrome, desseminated intravascular coagulation, following head injury: Frequency and prognostic implications (Miner et al), 687
Fibrinous mediastinitis—spontaneous resolution of multilobar altelectasis secondary to (Chipps et al) (BCLO), 935
Fibromuscular dysplasia—spontaneous reversal of hypertension caused by (Siegler et al) (BCLO), 83
Flank mass, right and hemihypertrophy (Groff and Buchino), 500
Flutter, atrial, in infancy (Martin and Hernandez) (BCLO), 239
Folate, red cell, and plasma values and folate requirements in formula-fed term infants (Ek and Magnus), 738
Fontanel, anterior: Window to neonatal brain (Volpe) (Commentary), 395
Fontanelle size in black and white term newborn infants (Faix) (BCLO), 304
tonometer: Noninvasive method for measurement of intracranial pressure (Menke et al), 960
Formula-fed term infants—plasma and red cell folate values and folate requirements in (Ek and Magnus), 738

G

Galactose intolerance in individuals with double heterozygosity for Duarte variant and galactosemia, (Schwarz et al), 704
therapy, parenteral, in glucose-intolerant premature infant (Sparks et al), 255
Galactosemia and Durarte variant—glactose intolerance in individuals with double heterozygosity for (Schwarz et al), 704
Gangliosidosis, GM_1, presenting as neonatal ascites (Abu-Dalu et al) (BCLO), 940
Gangrene in neonate following dopamine therapy (Maggi et al) (BCLO), 323
Gas, inert, and respiratory exchange in experimental meconium aspiration—effects of PEEP and tolazoline on (Truog et al), 284
Gastroesophageal reflux and movement in awake term infants with "near miss" SIDS, unrelated to apnea (Ariagno et al), 894
with cystic fibrosis—complications of (Bendig et al), 536
Gastrointestinal hemorrhage—black heme-positive stools without (Stillman) (BCLO), 414
Gastroschisis, recurrence risk for (Salinas) (Letter), 336; (Hoyme et al) (Reply), 336
Gastrotomy in management of acute iron poisoning (Venturelli et al) (BCLO), 768
Gaucher disease, acute neuronopathic (infantile) and chronic nonneuronopathic (adult), in full siblings (Wenger et al) (BCLO), 252
Genetic diseases: Diagnosis by restriction endonuclease analysis (Antonarakis et al), 845
immunologic, and virologic factors in insulin-dependent diabetes mellitus (Champsaur et al), 15
Gentamicin disposition, altered, with cystic fibrosis—dosing implications of (Kearns et al), 312
Geophagia and zinc deficiency (Çavdar) (Letter), 1003; (Gordon et al) (Reply), 1004
Globulin, antithymocyte, used in treatment of severe aplastic anemia (Cairo and Baehner), 307
Glucose plus protein and protein plus fat—comparison of: Optimal dietary therapy for obese adolescents (Dietz and Schoeller), 638
-intolerant premature infant—parenteral galactose therapy in (Sparks et al), 255
-6-phosphate dehydrogenase activity in normal and G-6-PD–deficient subjects with neonatal jaundice—lack of effect of phototherapy on red cell riboflavin status and on (Meloni et al) (BCLO), 972
Glutaric acidemia type II: Clinical, biochemical, and morphologic considerations (Goodman et al) (BCLO), 946
Glycemic response to lipid infusion in premature neonate (Vileisis et al), 108
Glycoprotein, $alpha_1$-acid, in cord serum—binding of basic drugs to (Piafsky and Woolner) (BCLO), 820

GM_1 gangliosidosis presenting as neonatal ascites (Abu-Dalu et al) (BCLO), 940
Gonorrhea, disseminated—pharynx as only positive culture site in adolescent with (Cramolini and Litt) (BCLO), 644
Graft versus host disease in severe combined immunodeficiency—failure on pan-reactive anti-T cell antibody, OKT 3, to prevent (Hayward et al) (BCLO), 665
Granulomatous disease, chronic, presenting as xanthogranulomatous pyelonephritis in late childhood (Johansen et al) (BCLO), 98
Gravity, specific, and osmolality—urine evaporative loss and effects of (Williams and Kanarek) (BCLO), 626
Growth hormone–releasing agent in prepubertal subjects—oral clonidine (Lanes and Hurtado), 710
response in angiomatous lymphoid harmatoma, inhibition of (Van Vliet et al) (Letter), 509; (Buchanan) (Reply), 509
screening—levodopa-propranolol test for (Itami et al) (Letter), 838; (Winter et al) (Reply), 838
to age 3 years among very LBW sequelae-free survivors of modern neonatal intensive care (Kimble et al) (BCLO), 622
velocity, linear—beneficial effect on: 25-hydroxyvitamin D_3 (calcifediol) therapy of juvenile renal osteodystrophy (Langman et al), 815

H

Haemophilus influenzae type B disease, investigation of recurrent, and outer membrane protein subtypes (Edmonson et al), 202
relation of concentrations in cerebrospinal fluid to late sequelae of patients with meningitis (Feldman et al), 209
vaccines, age-related response to two (Pincus et al), 197
Hamartoma, angiomatous lymphoid–inhibition of growth hormone response to (Van Vliet et al) (Letter), 509; (Buchanan) (Reply), 509
Hands and feet, abnormalities of, imperforate anus, satyr ears, and sensorineural deafness—syndrome of (Walpole and Hockey) (BCLO), 250
Head injury—disseminated intravascular coagulation fibrinolytic syndrome following: Frequency and prognostic implications (Miner et al), 687
Heat shields for infants under radiant warmers—physiologic implications of two different (Baumgart et al), 787
Hematocrit of reconstituted blood for exchange transfusion in newborn infants (Sotelo-Avila et al) (BCLO), 971
Hematopoietic dysplasia and marrow hypocellularity: Preleukemic condition (Kobrinsky et al), 907
Heme-positive stools, black, without gastrointestinal hemorrhage (Stillman) (BCLO), 414
Hemihypertrophy and right flank mass (Groff and Buchino), 500
Hemodynamic evaluation with shock: Dobutamine (Perkin et al), 977
Hemoglobinopathies in New York State, newborn screening for: Experience of physicians and parents of affected children (Warren et al), 373
Hemolytic factor D values, serum, with steroid-responsive idiopathic nephrotic syndrome (Ballow et al), 192
—uremic syndrome, association with: Pancreatic islet cell necrosis (Burns et al) (BCLO), 582
Hemolytic-uremic syndrome—Cont'd
—development of insulin-dependent diabetes mellitus during (Andreoli and Bergstein), 541
Hemophagocytic syndrome, virus-associated, or malignant histiocytosis? (Davson) (Letter), 172; (Wilson et al) (Reply), 172
Hemorrhage and thrombosis complicating L-asparaginase therapy for acute lymphoblastic leukemia—syndrome of (Priest et al), 984
gastrointestinal—black heme-positive stools without (Stillman) (BCLO), 414
intracranial—sonographic classification of. Prognostic indicator of mortality, morbidity, and short-term neurologic outcome (Shankaran et al), 469
intraventricular, following volume expansion after hypovolemic hypotension in newborn beagle (Goddard-Finegold et al) (BCLO), 796
in premature infant—platelet dysfunction and coagulopathy in (Setzer et al), 599
new-born infant—cerebral blood flow velocity in relation to (Perlman and Volpe), 956
neonatal intraventricular—intracranial pressure and cerebral arterial pulsatile flow measurements in (Bada et al), 291
periventricular—serum CK-BB isoenzyme in preterm infants with (Shields and Feldman), 464
Hemostatic system in children undergoing intensive plasma exchange (Rao et al), 69
Hepatic drug metabolism, inhibition of: Cimetidine use in children with cystic fibrosis (Bradbear et al) (BCLO), 325
extra-, biliary atresia and polysplenia syndrome—abnormal cilia in child with (Teichberg et al) (BCLO), 399
—studies in etiology of: Time-space clustering (Strickland and Shannon), 749
Hepatitis B virus infection, chronic—virologic features of (Trevisan et al), 366
induced by isoniazid-rifampin combination—increased incidence of (Thulasimany) (Letter), 174; (Jonas) (Reply), 174
Hepatotoxicity, carbenicillin-associated—use of ticarcillin following (Graft and Chesney) (BCLO), 497
Herpes simplex esophagitis in healthy 10-year-old boy (Bastian and Kaufman) (BCLO), 406
infection, neonatal, in absence of mucocutaneous lesions (Arvin et al), 715
Heterozygosity, double, for Duarte variant and galactosemia—galactose intolerance with (Schwarz et al), 704
Heterozygous sibling, prenatal diagnosis in, and coronary death at age 3 in homozygous child—report of: Familial hypercholesterolemia (Rose et al) (BCLO), 757
Histiocytosis, malignant, or virus-associated hemophagocytic syndrome? (Davson) (Letter), 172; (Wilson et al) (Reply), 172
HLA-B27–associated spondyloarthritis and enthesopathy in clinical, pathologic, and radiologographic observations in 58 patients (Jacobs et al), 521
Homozygous child, coronary death at age 3 in, and prenatal diagnosis in heterozygous sibling—report of: Familial hypercholesterolemia (Rose et al) (BCLO), 757
Hormone, growth–releasing agent in prepubertal subjects—oral clonidine (Lanes and Hurtado), 710

Hormone, growth—Cont'd
response to angiomatous lymphoid hamartoma, inhibition of (Van Vliet et al) (Letter), 509; (Buchanan) (Reply), 509
parathyroid, responses during "exchange" blood transfusion in newborn period—role of postnatal age and magnesium on (Dincsoy et al), 277
screening, growth—levodopa-propranolol test for (Itami et al) (Letter), 838; (Winter et al) (Reply), 838
testing, thyrotropin-releasing—clinical characteristics and results of: Autonomous thyroid nodules in adolescents (Osburne et al), 383
thyroid-stimulating, response to TRH in children with hypopituitarism—patterns of (de Papendieck et al), 387
Human milk during first year of lactation, immunologic factors in (Goldman et al), 563
protective role of, against sudden death from infant botulism (Arnon et al), 568
Hyaline membrane disease–low peak inspiratory pressures for ventilation of infants with (Ratner et al) (BCLO), 802
Hydronephrosis, congenital, skeletal dysplasia, and severe developmental retardation: Schinzel-Giedion syndrome (Kelley et al) (BCLO), 943
25-Hydroxyvitamin D concentrations, serum, and bone mineral content in breast-fed infants with and without supplemental vitamin D: One-year follow-up (Greer et al) (BCLO), 919
D_3 (calcifediol) therapy of juvenile renal osteodystrophy: Beneficial effect on linear growth velocity (Langman et al), 815
Hyperactive boys treated with D-amphetamine—dopamine-norepinephrine interaction in (Shekim et al), 830
Hyperbilirubinemia—abnormal auditory brainstem response in newborn infant with: Improvement with exchange transfusion (Wennberg et al) (BCLO), 624
neonatal, and renal function (Engle and Arant), 113
secondary to delayed absorption of intraperitoneal blood following intrauterine transfusion (Wright et al) (BCLO), 302
Hypercellularity, mesangial, and immune deposits in minimal change nephrotic syndrome: Clinical relevance (Allen et al), 188
Hypercholesterolemia, familial: Report of coronary death at age 3 in homozygous child and prenatal diagnosis in heterozygous sibling (Rose et al) (BCLO), 757
Hyperleukocytosis—exchange transfusion in leukemia with (Del Vasto et al) (Letter), 1000
Hypermagnesemia, neonatal—neurobehavioral effects of (Rasch et al), 272
Hyperoxia, arterial, in newborn infants with transposition of great vessels (Batton et al) (BCLO), 300
Hyperparathyroidism, secondary, in infant—maxillary brown tumor caused by (Gurumurthy et al) (BCLO), 245
Hyperplasia, congenital adrenal—neoplasms associated with (Levine and New) (Letter), 506; (Bongiovanni) (Letter), 507
Hypertension in neonatal thyrotoxicosis (Eason et al) (BCLO), 766
induced pulmonary, in newborn lamb—prostoglandin D_2 reverses (Soifer et al), 458
neonatal, treated with Captopril (Bifano et al) (BCLO), 143
severe maternal, occurring before week 36 of pregnancy—neonatal manifestations of (Brazy et al), 265
Hypertension—Cont'd
spontaneous reversal of, caused by fibromuscular dysplasia (Siegler et al) (BCLO), 83
Hypertrophic cardiomyopathy in midtrimester fetus born to diabetic mother (Leslie et al) (BCLO), 631
Hypoaldosteronism, hyporeninemic, in child with lactic acidosis, deafness, and mental retardation (Shuper et al) (BCLO), 769
Hypocalcemia, early-onset neonatal—short-term biochemical effects of parenteral calcium treatment (Brown and Salsburey), 777
Hypocellularity, marrow, and hematopoietic dysplasia: Preleukemic condition (Kobrinsky et al), 907
Hypogammaglobulinemia and antibody deficiency in patients with elevated sweat chloride concentrations (Corkey and Gelfand) (BCLO), 420
Hypopituitarism—patterns of TSH response to TRH in children with (de Papendieck et al), 387
Hypoplasia, enamel—etiology of (Schärer and Komposch) (Letter), 673; (Nikiforuk and Fraser) (Reply), 674
Hyporeninemic hypoaldosteronism in child with lactic acidosis, deafness, and mental retardation (Shuper et al) (BCLO), 769
Hypotension and asphyxia in newborn piglets—effects of different rates of plasmanate infusions upon brain blood flow after (Laptook et al), 791
electrode temperature, effect of: Skin surface P_{CO_2} monitoring in newborn infants in shock (Brünstler et al), 454
hypovolemic, in newborn beagle—intraventricular hemorrhage following volume expansion after (Goddard-Finegold et al) (BCLO), 796
severe postural, with automonic neuropathy and occult systemic neuropathy (Finley and Tibbles) (BCLO), 409
Hypothermia and early petobarbital coma—outcome in severe Reye syndrome with (Frewen et al) (BCLO), 663
Hypothermic brain-injured children—high-dose pentobarbital pharmacokinetics in (Schaible et al), 655
Hypothyroidism, congenital, screening program for—screening test for syphilis-specific antibodies added to (Sander and Nichaus) (BCLO), 93
Hypovolemic hypotension in newborn beagle—intraventricular hemorrhage following volume expansion after (Goddard-Finegold et al) (BCLO), 796

I

IgA deficiency, selective—twenty-nail dystrophy (trachyonychia) associated with (Leong et al) (BCLO), 418
Immune deposits and mesangial hypercellularity in minimal change nephrotic syndrome: Clinical relevance (Allen et al), 188
Immunization of healthy children with OKA strain: Live attenuated varicella vaccine (Arbeter et al), 886
Immunodeficiency, severe combined—disseminated *Legionella pneumophilia* infection in infant with (Cutz et al) (BCLO), 760
failure of pan-reactive anti-T cell antibody, OKT 3, to prevent graft versus host disease in (Hayward et al) (BCLO), 665
Immunologic and epidemiologic aspects of varicella infection acquired during infancy and early childhood (Baba et al), 881
factors in human milk during first year of lactation (Goldman et al), 563

Immunologic—Cont'd
virologic, and genetic factors in insulin-dependent diabetes mellitus (Champsaur et al), 15
Imperforate anus, abnormalities of hands and feet, satyr ears, and sensorineural deafness—syndrome of (Walpole and Hockey) (BCLO), 250
Incontinence, anal—biofeedback therapy in management of (Chapoy and Ament) (Letter), 336
Index, diagnostic, for Down syndrome (Rex and Preus), 903
Indomethacin used in treatment of pericarditis (Sherry et al) (BCLO), 995
Infection *see* specific infection
Infusion(s), arginine hydrochloride, used to assess urinary acidification (Loney et al) (BCLO), 95
plasmanate—effects of different rates on brain blood flow after asphyxia and hypotension in newborn piglets (Laptook et al), 791
Inhalation therapy, beclomethasone, in asthmatic children—adrenal effects of (Vaz et al) (BCLO), 660
Insect allergy, epidemiologic study of. I. Characteristics of disease (Schuberth et al), 546
Inspiratory pressures, low peak, for ventilation of infants with hyaline membrane disease (Ratner et al) (BCLO), 802
Insulin-dependent diabetes mellitus during hemolytic-uremic syndrome—development of (Andreoli and Bergstein), 541
mother—permanent neonatal diabetes in infant of (Widness et al) (BCLO), 926
therapy for ketolactic acidosis, complicating malignancy (Coleman et al) (BCLO), 584
Intensive care facilities, perinatal—follow-up of infants 501 to 1,500 gm birth weight delivered to residents of geographically defined region with (Saigal et al), 606
modern neonatal—growth to age 3 years among very LBW sequelae-free survivors of (Kimble et al) (BCLO), 622
Intestinal perforation, sign of: Meconium-stained urine (Karna et al) (BCLO), 804
Intoxication, salicylate, associated with delayed coma (Dove and Jones) (BCLO), 493
Intracranial calcifications—cranial ultrasound in detection of (Dykes et al) (BCLO), 406
pressure and cerebral arterial pulsatile flow measurements in neonatal intraventricular hemorrhage (Bada et al), 291
noninvasive method for measurement of: Fontanelle tonometer (Menke et al), 960
Intralipid infusion in very low-birth-weight infant—intravascular fat accumulation after (Hertel et al) (BCLO), 975
Intrauterine transfusion—hyperbilirubinemia secondary to delayed absorption of intraperitoneal blood following (Wright et al) (BCLO), 302
Intravascular coagulation, disseminated, in neonate—controlled study of treatment for (Gross et al), 445
fat accumulation after Intralipid infusion in the very low-birth-weight infant (Hertel et al) (BCLO), 975
Intraventricular hemorrhage following volume expansion after hypovolemic hypotension in newborn beagle (Goddard-Finegold et al) (BCLO), 796
in premature infant—platelet dysfunction and coagulopathy in (Setzer et al), 599
newborn infant—cerebral blood flow velocity in relation to (Perlman and Volpe), 956
Intraventricular hemorrhage—Cont'd
neonatal—intracranial pressure and cerebral arterial pulsatile flow measurements in (Bada et al), 291
Iris/aniridia dysplasia and apparently normal chromosomes with Wilms tumor (Riccardi et al), 574
Iron poisoning, acute—gastrotomy in management of (Venturelli et al) (BCLO), 768
therapy, short-term oral—effects on developmental deficits in iron-deficient anemic infants (Lozoff et al), 351
Islet cell necrosis, pancreatic: Association with hemolytic-uremic syndrome (Burns et al) (BCLO), 582
Isoenzyme, serum CK-BB, in preterm infants with periventricular hemorrhage (Shields and Feldman), 464
Isoniazid-rifampin combination—increased incidence of hepatitis induced by (Thulasimany) (Letter), 174; (Jonas) (Reply), 174
Isoproterenol dose for nebulization (Szymaniak and Schaible) (Letter), 334; (Leffert) (Reply), 334

J

Jaundice, breast-feeding (Monroe) (Letter), 334; (Powers) (Letter), 334; (Poland) (Reply), 335
milk—more on (Odièvre and Luzeau) (Letter), 671; (Poland) (Reply), 671
neonatal—lack of effect of phototherapy on red cell riboflavin status and on glucose-6-phosphate dehydrogenase activity in normal and G-6-PD–deficient subjects (Meloni et al) (BCLO), 972
Juvenile psoriatic arthritis—analysis of 60 cases (Shore and Ansell), 529

K

Kallikrein, urinary, excretion in grade school children with high and low blood pressure (Sinaiko et al) (BCLO), 938
vasopression, and prostaglandins excretion (urinary) in healthy children from birth to adolescence (Godard et al), 898
Kartagener syndrome and polyspenia in sibship: Association with abnormal respiratory cilia (Schidlow et al) (BCLO), 401
Kawasaki disease, aneurysms following (Patriarca and Morens) (Letter), 509; (Ament) (Reply), 510
in Hawaii, epidemic of (Dean et al), 552
New England outbreak of 1980—manifestations of (Meade and Brandt), 558
regression of aneurysms in: Pathological study (Sasaguri and Kato), 225
Ketolactic acidosis complicating malignancy—insulin therapy for (Coleman et al) (BCLO), 584
Ketosis, neonatal, and carnitine (Winterer) (Letter), 840; (Anday et al) (Reply), 840
Kidney, adult, transplanted into very small child: Long-term outcome (Miller et al), 675
and liver transplantation in children receiving cyclosporin A and steroids (Starzl et al), 681
disease, infantile polycystic—neonatal radioconstrast nephropathy simulating (Avner et al) (BCLO), 85

L

Lactation—immunologic factors in human milk during first year of (Goldman et al), 563

Lactic acidosis, deafness, and mental retardation—hyporeninemic hypoaldosteronism in child with (Shuper et al) (BCLO), 769
Lactose malabsorption in recurrent abdominal pain (Wald et al), 65
Legionella pneuophilia infection, disseminated, in infant with severe combined immunodeficiency (Cutz et al) (BCLO), 760
Lethargy and bradycardia, persistent: Dilantin toxicity in preterm infant (Wiriyathian et al) (BCLO), 146
Leukemia, acute lymphoblastic—effect of L-asparaginase on antithrombin, plasminogen, and plasma coagulation during therapy for (Priest et al), 990
syndrome of thrombosis and hemorrhage complicating L-asparaginase therapy for (Priest et al), 984
lymphocytic—leukemic involvement of ovaries in (Zarrouk et al) (BCLO), 422
pre-, in children (Niebrugge) (Letter), 507
prophylactic use of TMP-SMZ in (Lanzkowsky and Schaeffer) (Letter), 1002; (Morgan) (Reply), 1003
urate-oxidase prophylaxis of uric acid–induced renal damage in (Masera et al) (BCLO), 152
with hyperleukocytosis—exchange transfusion in (Del Vasto et al) (Letter), 1000
Leukemic, pre-, condition: Hematopoietic dysplasia and marrow hypocellularity (Kobrinsky et al), 907
Levodopa-propranolol test for growth hormone screening (Itami et al) (Letter), 838; (Winter et al) (Reply), 838
Lipid infusion in premature neonate—glycemic response to (Vileisis et al), 108
Liver and kidney transplantation in children receiving cyclosporin A and steroids (Starzl et al), 681
function, effect of TPN on (Brans) (Letter), 513; (Whitington et al) (Reply), 514
malignancy after parenteral nutrition (Vileisis et al) (BCLO), 88
Lymphoblastic leukemia, acute—effect of L-asparaginase on antithrombin, plasminogen, and plasma coagulation during therapy for (Priest et al), 990
—syndrome of thrombosis and hemorrhage complicating L-asparaginase therapy for (Priest et al), 984
Lymphocytic leukemia, acute—leukemic involvement of ovaries in (Zarrouk et al) (BCLO), 422
Lymphoid hamartoma, angiomatous—inhibition of growth hormone response to (Van Vliet et al) (Letter), 509; (Buchanan) (Reply), 509

M

Macrosomia: Causes and consequences (Stevenson et al), 515
Magnesium and calcium concentrations, increasing serum, in breast-fed infants: Longitudinal studies of minerals in human milk and in sera of nursing mothers and their infants (Greer et al), 59
postnatal age—role of parathyroid hormone responses during "exchange" blood transfusion in newborn period (Dincsoy et al), 277
Malabsorption, lactose, in recurrent abdominal pain (Wald et al), 65
sorbitol—chronic abdominal pain caused by (Hyams) (BCLO), 772
Malignancy—insulin therapy for ketolactic acidosis complicating (Coleman et al) (BCLO), 584
liver, after parenteral nutrition (Vileisis et al), 88
Malignant histiocytosis or virus-associated hemophagocytic syndrome? (Davson) (Letter), 172; (Wilson et al) (Reply), 172
Marfan-like features and congenital contractual arachnodactyly (Meinecke) (Letter), 1006; (Bass) (Reply), 1007
Marrow, bone, aspiration with a 22-gauge spinal needle (Dinndorf et al) (BCLO), 595
hypocellularity and hematopoietic dysplasia: Preleukemic condition (Kobrinsky et al), 907
Mass, right flank, and hemihypertrophy (Groff and Buchino) 500
Maturation, early and late sexual, in adolescence—educational correlates of (Duke et al), 633
Maxillary brown tumor caused by secondary hyperparathyroidism in the infant (Gurumurthy et al) (BCLO), 245
Meconium aspiration, experimental—effects of PEEP and tolazoline infusion on respiratory and inert gas exchange in (Truog et al), 284
stained urine: Sign of intestinal perforation (Karna et al) (BCLO), 804
Mediastinitis, fibrinous—spontaneous resolution of multilobar atelectasis secondary to (Chipps et al) (BCLO), 935
Melanoma, cutaneous, risk of, and small congenital nevocellular nevi (Rhodes and Melski), 219
Melioidosis (Patamasucon et al), 175
Membrane disease, hyaline—low peak inspiratory pressures for ventilation of infants with (Ratner et al) (BCLO), 802
protein subtypes, outer, and investigation of recurrent *Haemophilus influenzae* type B disease (Edmonson et al), 202
Meningitis, bacterial—use of moxalactam for (Kaplan et al) (Letter), 843; (Dajani) (Reply), 843
relation of concentrations of *Haemophilus influenzae* type b in cerebrospinal fluid to late sequelae with (Feldman et al), 209
Mental retardation, deafness, and lactic acidosis—hyporeninemic hypoaldosteronism in child with (Shuper et al) (BCLO), 769
Mesangial hypercellularity and immune deposits in minimal change nephrotic syndrome: Clinical relevance (Allen et al), 188
Metabolic control–reversal of complications of diabetes mellitus with improved (Dorchy and Toussaint) (Letter), 337; (White and Santiago) (Reply), 338
Metabolism, hepatic drug—inhibition of: Cimetidine use in children with cystic fibrosis (Bradbear et al) (BCLO), 325
Metabolites, vitamin D—nomenclature for (Piston) (Letter), 505; (Garfunkel) (Reply), 506
in human milk (Weisman et al), 745
Methadone (polydrug) users—durination of thrombocytosis in infants of (Burstein et al) (Letter), 506
Methemoglobinemia, transient, with acidosis (Yano et al) (BCLO), 415
Metronidazole in newborn infant—pharmacokinetics and tissue distribution of (Jager-Roman et al), 651
Milk, breast-, jaundice—more on (Odièvre and Luzeau) (Letter), 671; (Poland) (Reply), 671
human, during first year of lactation—immunologic factors in (Goldman et al), 563

Milk, human—Cont'd
minerals in, and in sera of nursing mothers and their infants—longitudinal studies of: Increasing serum calcium and magnesium concentrations in breast-fed infants (Greer et al), 59
(protective role of), against sudden death from infant botulism (Arnon et al), 568
vitamin D metabolites in (Weisman et al), 745
Mineral(s) content, bone, and serum 25-hydroxyvitamin D concentrations in breast-fed infants with and without supplemental vitamin D: One-year-follow-up (Greer et al) (BCLO), 919
in human milk and in sera of nursing mothers and their infants, longitudinal studies of: Increasing serum calcium and magnesium concentrations in breast-fed infants (Greer et al), 59
Mineralization, bone, in very LBW infants fed formulas with Polycose and medium-chain triglycerides—effects of increased calcium, phosphorus, and vitamin D intake on (Greer et al), 951
Monitoring, continuous, of electroencephalogram following perinatal asphyxia (Coen et al) (BCLO), 628
Morbidity, mortality, and short-term neurologic outcome—prognostic indicator of. Sonographic classification of intracranial hemorrhage (Shankaran et al), 469
Morphogenesis, errors of: Concepts and terms (Spranger et al), 160
Mortality, morbidity, and short-term neurologic outcome—prognostic indicator of. Sonographic classification of intracranial hemorrhage (Shankaran et al), 469
Movement and gastroesophageal reflux in awake term infants with "near miss" SIDS, unrelated to apnea (Ariagno et al), 894
Moxalactam used for bacterial meningitis (Kaplan et al) (Letter), 843; (Dajani) (Reply), 843
Mucocutaneous lesions—neonatal herpes simplex infection in absence of (Arvin et al), 715
Muscular dystrophy, congenital: Clinicopathologic report of 24 cases (McMenamin et al), 492
Myopathic arthrogryposis with seizures and abnormal electroencephalogram (Kalyanaraman and Kalyanaraman) (BCLO), 247

N

Nasal endotracheal tubes versus oral—role of: Postextubation atelectasis (Spitzer and Fox) (BCLO), 806
Nasopharyngeal airways in Pierre Robin syndrome (Heaf et al), 698
"Near miss" SIDS, unrelated to apnea—movement and gastroesophageal reflux in awake term infants with (Ariagno et al), 894
Nebulization, isoproterenol dose for (Szymaniak and Schaible) (Letter), 334; (Leffert) (Reply), 334
Necrosis, pancreatic islet cell: Association with hemolytic-uremic syndrome (Burns et al) (BCLO), 582
Necrotizing enterocolitis among low-birth-weight infants—epidemiologic study of (Kliegman et al), 440
and asymptomatic group, comparison between patients with: Prevalence of *Clostridium difficile* and toxin in nursery population (Sherertz and Sarubbi), 435
in older infants, children, and adolescents (Moss and Adler) (BCLO), 764
Neisseria gonorrhoeae, penicillinase-producing—ophthalmia neonatorum caused by (Raucher et al) (BCLO), 925
Neoplasms associated with congenital adrenal hyperplasia (Levine and New) (Letter), 506; (Bongiovanni) (Letter), 507
Nephropathy, radiocontrast neonatal, simulating infantile polycystic kidney disease (Avner et al) (BCLO), 85
Nephrotic syndrome in congenital syphilis, late appearance of (Repetto et al) (BCLO), 591
minimal change—immune deposits and mesangial hypercellularity in: Clinical relevance (Allen et al), 188
steroid-dependent (Arant et al), 328
-responsive idiopathic—serum hemolytic factor D values with (Ballow et al), 192
Neural tube defects and zinc deficiency (Server) (Letter), 670
Neurobehavioral effects of neonatal hypermagnesemia (Rasch et al), 272
Neurologic and pulmonary disease—efficacy of theophylline in premature infants with mixed and obstructive apnea and apnea associated with (Roberts et al) (BCLO), 968
outcome, short-term, morbidity, and mortality—prognostic indicator of. Sonographic classification of intracranial hemorrhage (Shankaran et al), 469
Neuromuscular disease, progressive, in children with chronic cholestasis and vitamin E deficiency: Diagnosis and treatment with alpha tocopherol (Guggenheim et al), 51
Neuronopathic (infantile), acute, and chronic nonneuronopathic (adult) Gaucher disease in full siblings (Wenger et al) (BCLO), 252
Neuropathy, autonomic, and occult systemic neuropathy—severe postural hypotension with (Finley and Tibbles) (BCLO), 409
Neuroradiology—value in infantile spasms (Singer et al), 47
Nevi, small congenital nevocellular, and risk of cutaneous melanoma (Rhodes and Melski), 219
Nevocellular nevi, small congenital, and risk of cutaneous melanoma (Rhodes and Melski), 219
New books received, 82, 238, 430, 578, 756, 916
Nodules, autonomous thyroid, in adolescents: Clinical characteristics and results of TRH testing (Osburne et al), 383
Nomenclature for vitamin D metabolities (Piston) (Letter), 505; (Garfunkel) (Reply), 506
Noonon syndrome or primidone teratogenicity? (Burn and Baraitser) (Letter), 836
Norepinephrine-dopamine interaction in hyperactive boys treated with D-amphetamine (Shekim et al), 830
Nursery, intensive care—concurrent outbreaks of rhinovirus and respiratory syncytial virus in: Epidemiology and associated risk factors (Valenti et al), 722
population, prevalence of *Clostridium difficile* and toxin in: Comparison between patients with necrotizing enterocolitis and asymptomatic group (Sherertz and Sarubbi), 435
Nursing mothers and their infants—longitudinal studies of minerals in human milk and in sera of: Increasing serum calcium and magnesium concentrations in breast-fed infants (Greer et al), 59
Nutrition, parenteral—liver malignancy after (Vileisis et al) (BCLO), 88
(TPN), on liver function—effect of (Brans) (Letter), 513; (Whitington et al) (Reply), 514

O

Obese adolescents, optimal dietary therapy for: Comparison of protein plus glucose and protein plus fat (Dietz and Schoeller), 638
Obstructive sleep apnea (Brouillette et al), 31
uropathy—progression of end-stage renal disease with (Warshaw et al), 183; Commentary (Vernier), 235
OKA strain, immunization of healthy children with: Live attenuated varicella vaccine (Arbeter et al), 886
OKT 3, pan-reactive anti-T cell antibody, to prevent graft versus host disease in severe combined immunodeficiency (Hayward et al) (BCLO), 665
Ophthalmia neonatorum caused by penicillinase-producing *Neisseria gonorrhoeae* (Raucher et al) (BCLO), 925
Ornithine transcarbamylase deficiency, severe—successful treatment of (Brubakk et al) (BCLO), 929
Osmolality and specific gravity—urine evaporative loss and effects of (Williams and Kanarek) (BCLO), 626
Osteodystrophy, juvenile renal—25-hydroxyvitamin D_3 (calcifediol) therapy of: Beneficial effect on linear growth velocity (Langman et al), 815
Osteogenesis imperfecta (OI Type II), lethal perinatal—prenatal diagnosis of (Shapiro et al), 127
OTC deficiency, severe—successful treatment of (Brubakk et al) (BCLO), 929
Ovaries in acute lymphocytic leukemia—leukemic involvement of (Zarrouk et al) (BCLO), 422
Overdose, aminoglycoside, in neonates (Bolam et al) (Letter), 835; (Smith) (Reply), 835
Oxidase-urate prophylaxis of uric acid–induced renal damage in leukemia (Masera et al) (BCLO), 152

P

Pain, chronic abdominal, caused by sorbitol malabsorption (Hyams) (BCLO), 772
recurrent abdominal—lactose malabsorption in (Wald et al), 65
Pancreatic islet cell necrosis: Association with hemolytic-uremic syndrome (Burns et al) (BCLO), 582
Parathyroid hormone responses during "exchange" blood transfusion in newborn period—role of postnatal age and magnesium on (Dincsoy et al), 277
Parenteral calcium treatment of early-onset neonatal hypocalcemia—short-term biochemical effects of (Brown and Salsburey), 777
galactose therapy in glucose-intolerant premature infant (Sparks et al), 255
nutrition, liver malignancy after (Vileisis et al) (BCLO), 88
(TPN) on liver function, effect of (Brans) (Letter), 513; (Whitington et al) (Reply), 514
Parenterally alimented premature newborn infants—carnitine blood concentrations and fat utilization in (Schmidt-Sommerfeld et al), 260
Patent ductus arteriosus after surfactant replacement therapy—increased shunt through (Clyman et al), 101
flow, continuous wave Doppler ultrasonographic quantitation of (Serwer et al) (BCLO), 297
P_{CO_2}, skin surface, monitoring in newborn infants in shock: Effect of hypotension and electrode temperature (Brünstler et al), 454
PEEP and tolazoline infusion—effects on respiratory and inert gas exchange in experimental meconium aspiration (Truog et al), 284
Penicillinase-producing *Neisseria gonorrhoeae*—ophthalmia neonatorum caused by (Raucher et al) (BCLO), 925
Pentobarbital coma, early, and hypothermia—outcome in severe Reye syndrome with (Frewen et al) (BCLO), 663
pharmacokinetics, high-dose, in hypothermic brain-injured children (Schaible et al), 655
Pepto-Bismol used in diarrhea (Arndt and Burns) (Letter), 839; (Feldman and Pickering) (Reply), 839
Perforation, duodenal, with tolazoline therapy (Matsuo et al) (Letter), 1005
intestinal—sign of: Meconium-stained urine (Karna et al) (BCLO), 804
Perfusion studies, cerebral, in healthy preterm and term newborn infants (Raju et al) (BCLO), 139
Pericarditis—use of indomethacin in treatment of (Sherry et al) (BCLO), 995
Peritoneal dialysis update (Fine), 1
intra-, blood following intrauterine transfusion—hyperbilirubinemia secondary to delayed absorption of (Wright et al) (BCLO), 302
Pernicious anemia, latent—vitamin B_{12} deficiency in infant strictly breast-fed by mother with (Johnson and Roloff) (BCLO), 917
Pharmacokinetics and efficacy. Treatment of severe neonatal infections with cefotaxime (Kafetzis et al), 483
tissue distribution of metronidazole in newborn infant (Jager-Roman et al), 651
high-dose pentobarbital, in hypothermic brain-injured children (Schaible et al), 655
of tobramycin in cystic fibrosis (Kelly et al) (BCLO), 318
Pharmacology of trimethoprim-sulfamethoxazole in newborn infants (Springer et al), 647
Pharyngeal airway obstruction in preterm infants during mixed and obstructive apnea (Mathew et al), 964
Pharynx as only positive culture site in adolescent with disseminated gonorrhea (Cramolini and Litt) (BCLO), 644
Phenobarbital and valproic acid—effect of age on concurrent administration of (Curatolo) (Letter), 841; (Suganuma et al) (Reply), 842
Phenylketonuria—comparison of treated and untreated pregnancies in mother with (Levy et al), 876
preliminary report on effects of diet discontinuation in (Koch et al), 870
Phosphorus, calcium, and vitamin D, increased—effects of intake on bone mineralization in very low-birth-weight infants fed formulas with Polycose and medium-chain triglycerides (Greer et al), 951
Phototherapy, decomposition of TPN solution exposed to (Ostrea et al) (Letter), 669; (Riggle et al) (Letter), 670
lack of effect on red cell riboflavin status and on glucose-6-phosphate dehydrogenase activity in normal and G-6-PD–deficient subjects with neonatal jaundice (Meloni et al) (BCLO), 972
Physiologic implications of two different heat shields for infants under radiant warmers (Baumgart et al), 787
Pierre Robin syndrome—nasopharyngeal airways in (Heaf et al), 698
Plasinogen, antithrombin, and plasma coagulation during therapy for acute lymphoblastic leukemia—effect of L-asparaginase on (Priest et al), 990

Plasma and red blood cell type, role of: Blood viscosity during neonatal period (Riopel et al), 449
cell folate values and folate requirements in formula-fed term infants (Ek and Magnus), 738
cysteamine concentrations in children treated for cystinosis (Jonas and Schneider) (BCLO), 321
exchange, intensive—hemostatic system in children undergoing (Rao et al), 69
plasinogen, and antithrombin coagulation during therapy for acute lymphoblastic leukemia—effect of L-asparaginase on (Priest et al), 990
somatomedin-C during first year of life (Kaplowitz et al) (BCLO), 932
Plasmanate infusions—effects of different rates upon brain blood flow after asphyxia and hypotension in newborn piglets (Laptook et al), 791
Platelet dysfunction and coagulopathy in intraventricular hemorrhage in premature infant (Setzer et al), 599
Pneumococcal vaccine—blood group antigens induced by (Potter) (Letter), 836; (Boyer and Gotoff) (Reply), 837
polyvalent—type-specific antibodies in children with sickle cell anemia given (Kaplan et al) (BCLO), 404
Pneumothorax in cystic fibrosis: Management and outcome (McLaughlin et al), 863
Poisoning, acute iron—gastrotomy in management of (Venturelli et al) (BCLO), 768
Polycose and medium-chain triglycerides—effects of increased calcium, phosphorus, and vitamin D intake on bone mineralization in very LBW infants fed formulas with (Greer et al), 951
Polycystic kidney disease, infantile—neonatal radiocontrast nephropathy simulating (Avner et al) (BCLO), 85
Polycythemia associated with acute renal failure in neonate (Herson et al) (BCLO), 137
Polyendocrinopathy, diarrhea, and fatal infection in infancy—x-linked syndrome of (Powell et al), 731
Polysplenia and Kartagener syndromes in sibship: Association with abnormal respiratory cilia (Schidlow et al) (BCLO), 401
syndrome and extrahepatic biliary atresia—abnormal cilia in child with (Teichberg et al) (BCLO), 399
Postural hypotension, severe, with automonic neuropathy and occult systemic neuropathy (Finley and Tibbles) (BCLO), 409
Potter baby scale and temperature changes (Doyle and Sinclair) (Letter), 1006; (Darnall) (Reply), 1006
Pregnancy(ies) in mother with phenylketonuria—comparison of treated and untreated (Levy et al), 876
rubella virus reinfection during, leading to late-onset congenital rubella syndrome (Levine et al) (BCLO), 589
week 36 of—neonatal manifestations of severe maternal hypertension occurring before (Brazy et al), 265
Prenatal diagnosis of ataxia telangiectasia (Shaham et al) (BCLO), 134
Preschool examination(s): Rites of summer (Silber) (Editor's column), 236
value in screening for health problems (Welch et al), 232
Primidone teratogenicity or Noonon syndrome? (Burn and Baraitser) (Letter), 836
Propranolol-levodopa test for growth hormone screening (Itami et al) (Letter), 838; (Winter et al) (Reply), 838
Prostaglandin(s) D_2 reverses induced pulmonary hypertension in newborn lamb (Soifer et al), 458
Prostaglandin(s)—Cont'd
E_2, orally administered—management of tricuspid atresia with (Coe et al) (BCLO), 496
vasopressin, and kallikrenin excretion (urinary) in healthy children from birth to adolescence (Godard et al), 898
Protein plus glucose and protein plus fat—comparison of: Optimal dietary therapy for obese adolescents (Dietz and Schoeller), 638
serum C-reactive, and site of urinary tract infections (Hellerstein et al), 21
subtypes, outer membrane, and investigation of recurrent *Haemophilus influenzae* type B disease (Edmonson et al), 202
Psoriatic arthritis, juvenile—analysis of 60 cases (Shore and Ansell), 529
Psychiatric, neurologic, congnitive, and academic function—sibling-matched controlled study of: Long-term consequences of Reye syndrome (Shaywitz et al), 41
Pulmonary and neurologic disease—efficacy of theophylline in premature infants with mixed and obstructive apnea and apnea associated with (Roberts et al) (BCLO), 968
function abnormalities in survivors of near drowning (Laughlin and Eigen), 26
of low-birth-weight infants—effect of low rate of intermittent mandatory ventilation on (Shutack et al) (BCLO), 799
hypertension, induced, in newborn lamb—prostaglandin D_2 reverses (Soifer et al), 458
Pulsatile flow measurements, cerebral arterial, and intracranial pressure in neonatal intraventricular hemorrhage (Bada et al), 291
Pyelonephritis, xanthogranulomatous, in late childhood—chronic granulomatous disease presenting as (Johansen et al) (BCLO), 98

Q

21q/21q translocation Down syndrome, recurrence risk in (Garver et al) (BCLO), 243

R

Radiant warmers—physiologic implications of two different heat shields for infants under (Baumgart et al), 787
Radiocontrast nephropathy, neonatal, simulating infantile polycystic kidney disease (Avner et al) (BCLO), 85
Radioimmunoassay of vasopressin in familial central diabetes insipidus (Kaplowitz et al), 76
Reflux, gastroesophageal, and movement in awake term infants with "near miss" SIDS, unrelated to apnea (Ariagno et al), 894
with cystic fibrosis—complications of (Bendig et al), 536
Rehydration solutions, oral—bacterial contamination of (Watkinson) (Letter), 170; (Shields et al) (Reply), 171
Renal damage, uric acid–induced, in leukemia—urate-oxidase prophylaxis of (Masera et al) (BCLO), 152
disease, end-stage—progression with obstructive uropathy (Warshaw et al), 183; Commentary (Vernier), 235
failure, acute, associated with polycythemia in neonate (Herson et al) (BCLO), 137
function and neonatal hyperbilirubinemia (Engle and Arant), 113

Renal—Cont'd
osteodystrophy, juvenile—25-hydroxyvitamin D_3 (calcifediol) therapy of: Beneficial effect on linear growth velocity (Langman et al), 815
transplantation (Fine) (Editor's column), 754
Reninemic, hypo-, hypoaldosteronism, in child with lactic acidosis, deafness, and mental retardation (Shuper et al) (BCLO), 769
Research—risks on children (Leikin) (Letter), 166; (Fost) (Letter), 166; (Janofsky and Starfield) (Reply), 167; (Lascari) (Reply), 167
Respiratory and inert gas exchange in experimental meconium aspiration—effects of PEEP and tolazoline on (Truog et al), 284
cilia, abnormal—association with: Polysplenia and Kartagener syndromes in sibship (Schidlow et al) (BCLO), 401
infections vs colonization (Marks and Law) (Letter), 508; (Giacoia et al) (Reply), 508
prognosis, improved, in patients with cystic fibrosis with normal fat absorption (Gaskin et al), 857
syncytial virus and rhinovirus—concurrent outbreak in intensive care nursery: Epidemiology and associated risk factors (Valenti et al), 722
infection, atypical neonatal (Unger et al) (BCLO), 762
Restriction endonuclease analysis, diagnosis by: Genetic diseases (Antonarakis et al), 845
Retardation, mental, deafness, and lactic acidosis—hyporeninemic hypoaldosteronism in child with (Shuper et al) (BCLO), 769
severe developmental, congenital hydronephrosis, and skeletal dysplasia: Schinzel-Giedion syndrome (Kelley et al) (BCLO), 943
Reye syndrome, long-term consequences of: Sibling-matched controlled study of neurologic, cognitive, academic, and psychiatric function (Shaywitz et al), 41
severe—outcome with early pentobarbital coma and hypothermia (Frewen et al) (BCLO), 663
Rhinovirus and respiratory syncytial virus—concurrent outbreaks in intensive care nursery: Epidemiology and associated risk factors (Valenti et al), 722
Riboflavin, red cell, status and on glucose-6-phosphate dehydrogenase activity in normal and G-6-PD–deficient subjects with neonatal jaundice (Meloni et al) (BCLO), 972
Rifampin-isoniazid combination—increased incidence of hepatitis induced by (Thulasimany) (Letter), 174; (Jonas) (Reply), 174
Rubella virus reinfection during pregnancy leading to late-onset congenital rubella syndrome (Levine et al) (BCLO), 589

S

Salicylate intoxication associated with delayed coma (Dove and Jones) (BCLO), 493
Saliva and serum valproic acid levels in epileptic children (Fung and Ueda) (Letter), 512; (Friedman) (Reply), 512
Salmonellosis in day-care center (Lieb et al) (Letter), 1004; (Pickering and DuPont) (Reply), 1005
Salpingitis, acute, in adolescent female (Shafer et al), 339
Scale, Potter baby, and temperature changes (Doyle and Sinclair) (Letter), 1006; (Darnall) (Reply), 1006
Schinzel-Giedion syndrome: Congenital hydronephrosis, skeletal dysplasia, and severe developmental retardation (Kelley et al) (BCLO), 943
Screening, growth hormone—levodopa-propranolol test for (Itami et al) (Letter), 838; (Winter et al) (Reply), 838
for health problems, value of preschool examination in (Welch et al), 232
newborn, for hemoglobinopathies in New York State: Experience of physicians and parents of affected children (Warren et al), 373
test for syphilis-specific antibodies added to screening program for congenital hypothyroidism (Sander and Niehaus) (BCLO), 93
Seizures and abnormal electroencephalogram—myopathic arthrogryposis with (Kalyanaraman and Kalyanaraman) (BCLO), 247
Serum CK-BB isoenzyme in preterm infants with periventricular hemorrhage (Shields and Feldman), 464
Sexual development in girl with Cohen syndrome (de Toni and Cafiero) (Letter), 1001
maturation, early and late, in adolescence—educational correlates of (Duke et al), 633
Shock, hemodynamic evaluation with: Dobutamine (Perkin et al), 977
skin surface P_{CO_2} monitoring in newborn infants in: Effect of hypotension and electrode temperature (Brünstler et al), 454
Shunt, increased, through patent ductus arteriosus after surfactant replacement therapy (Clyman et al), 101
Sibling, heterozygous, prenatal diagnosis in, and coronary death at age 3 in homozygous child—report of: Familial hypercholesterolemia (Rose et al) (BCLO), 757
matched controlled study of neurologic, cognitive, academic, and psychiatric function: Long-term consequences of Reye syndrome (Shaywitz et al), 41
Sibship, polysplenia and Kartagener syndromes in: Association with abnormal respiratory cilia (Schidlow et al) (BCLO), 401
Sickle cell anemia given polyvalent pneumococcal vaccine—type-specific antibodies in children with (Kaplan et al) (BCLO), 404
SIDS, near miss—alternatives for (Nickerson) (Letter), 672
unrelated to apnea—movement and gastroesophageal reflux in awake term infants with (Ariagno et al), 894
(sudden infant death syndrome)—elevated values of triiodothyronine in victims of (Benjamin and Beckwith) (Letter), 841; (Tildon) (Reply), 841
Skeletal dysplasia, congenital hydronephrosis, and severe developmental retardation: Schinzel-Giedion syndrome (Kelley et al) (BCLO), 943
Skin surface P_{CO_2} monitoring in newborn infants in shock: Effect of hypotension and electrode temperature (Brünstler et al), 454
Sleep and TV viewing (Troll) (Letter), 507; (Weissbluth) (Reply), 508
apnea, obstructive (Brouillette et al), 31
SMZ-TMP in leukemia—prophylactic use of (Lanzkowsky and Schaeffer) (Letter), 1002; (Morgan) (Reply), 1003
Social function of young adults who had arthritis in childhood (Miller et al), 378
Sodium and chloride values, sweat (Rosenstein and Langbaum) (Letter), 1001; (Shwachman) (Reply), 1002
Somatomedin-C, plasma, during first year of life (Kaplowitz et al) (BCLO), 932

Sonographic classification of intracranial hemorrhage. Prognostic indicator of mortality, morbidity, and short-term neurologic outcome (Shankaran et al), 469
Sorbitol malabsorption—chronic abdominal pain caused by (Hyams) (BCLO), 772
Spasms, infantile—value of neuroradiology in (Singer et al), 47
Sphincter response, abnormal anal, in chronically constipated children (Leoning-Baucke and Younoszai), 213
Spinal needle, 22-gauge—bone marrow aspiration with (Dinndorf et al) (BCLO), 595
Splenic cyst with salvage of functional splenic tissue, removal of (Sink et al) (BCLO), 412; Comment (Lascari), 414
Spondyloarthritis, HLA-B27–associated, and enthesopathy in clinical, pathologic, and radiographic observations in 58 patients (Jacobs et al), 521
Steroid-dependent nephrotic syndrome (Arant et al), 328
-responsive idiopathic nephrotic syndrome—serum hemolytic factor D values with (Ballow et al), 192
and cyclosporin A—liver and kidney transplantation in children receiving (Starzl et al), 681
Stool(s), black heme-positive, without gastrointestinal hemorrhage (Stillman) (BCLO), 414
chloride losses and alkalosis (Albert) (Letter), 1007; (Kaplan) (Reply), 1008
Sulfamethoxazole-trimethoprim in leukemia, prophylactic use of (Lanzkowsky and Schaeffer) (Letter), 1002; (Morgan) (Reply), 1003
—pharmacology in newborn infants (Springer et al), 647
therapy—transient elevation of alkaline phosphatase possibly related to (DeVito) (BCLO), 998
Supplementation, copper, in premature infants (Manser et al) (Letter), 511; (Hillman) (Reply), 511
Surfactant, human: Therapeutic trial in premature rabbits (Schneider et al) (BCLO), 619
replacement therapy—increased shunt through patent ductus arteriosus after (Clyman et al), 101
Sweat chloride concentrations, elevated—hypogammaglobulinemia and antibody deficiency in patients with (Corkey and Gelfand) (BCLO), 420
sodium and chloride values (Rosenstein and Langbaum) (Letter), 1001; (Shwachman) (Reply), 1002
Sweating in preterm babies (Harpin and Rutter), 614
Syncytial virus infection, atypical neonatal respiratory (Unger et al) (BCLO), 762
respiratory, and rhinovirus—concurrent outbreak in intensive care nursery: Epidemiology and associated risk factors (Valenti et al), 722
Syndrome *see* specific syndrome
Syphilis, congenital—late appearance of nephrotic syndrome in (Repetto et al) (BCLO), 591
-specific antibodies, screening test for, added to screening program for congenital hypothyroidism (Sander and Niehaus) (BCLO), 93

T

Temperature changes and Potter baby scale (Doyle and Sinclair) (Letter), 1006; (Darnall) (Reply), 1006
electrode, and hypotension—effect of: Skin surface P_{CO_2} monitoring in newborn infants in shock (Brünstler et al), 454
Teratogenicity, primidone, or Noonan syndrome? (Burn and Baraitser) (Letter), 836
Test, levodopa-propranolol, for growth hormone screening (Itami et al) (Letter), 838; (Winter et al) (Reply), 838
screening, for syphilis-specific antibodies added to screening program for congenital hypothyroidism (Sander and Niehaus) (BCLO), 93
Testicular weight in infancy (Siebert) (Letter), 835
Testing, TRH—clinical characteristics and results of: Autonomous thyroid nodules in adolescents (Osburne et al), 383
Theophylline—efficacy in premature infants with mixed and obstructive apnea and apnea associated with pulmonary and neurologic disease (Roberts et al) (BCLO), 968
sustained-release: Significant advance in treatment of childhood asthma (Tabachnik et al) (BCLO), 489
therapy, oral—individualization of dosage for (Cabanas et al) (Letter), 169; (Weinberger) (Reply), 170
Thrombocytosis—duration in infants of polydrug (including methadone) users (Burstein et al) (Letter), 506
Thrombosis and hemorrhage complicating L-asparaginase therapy for acute lymphoblastic leukemia—syndrome of (Priest et al), 984
nonbacterial endocardial, in neonates: Relationship of persistent fetal circulation (Murrow et al), 117
Thrombus, catheter-related atrial—urokinase therapy for (Delaplane et al) (BCLO), 149
Thyroid nodules, autonomous, in adolescents: Clinical characteristics and results of TRH testing (Osburne et al), 383
-stimulating hormone response to TRH in children with hypopituitarism—patterns of (de Papendieck et al), 387
Thyrotoxicosis, neonatal—hypertension in (Eason et al) (BCLO), 766
Thyrotropin-releasing hormone in children with hypopituitarism—patterns of TSH response to (de Papendieck et al), 387
testing—clinical characteristics and results of: Autonomous thyroid nodules in adolescents (Osburne et al), 383
Ticarcillin used following carbenicillin-associated hepatotoxicity (Graft and Chesney) (BCLO), 497
Tissue distribution and pharmacokinetics of metronidazole in newborn infant (Jager-Roman et al), 651
functional splenic—removal of splenic cyst with salvage of (Sink et al) (BCLO), 412; Comment (Lascari), 414
TMP-SMZ in leukemia—prophylactic use of (Lanzkowsky and Schaeffer) (Letter), 1002; (Morgan) (Reply), 1003
Tobramycin in cystic fibrosis, pharmacokinetics of (Kelly et al) (BCLO), 318
Tocopherol, alpha—diagnosis and treatment with: Progressive neuromuscular disease in children with chronic cholestasis and vitamin E deficiency (Guggenheim et al), 51
Tolazoline infusion and PEEP—effects on respiratory and inert gas exchange in experimental meconium aspiration (Truog et al), 284
therapy, duodenal perforation with (Matsuo et al) (Letter), 1005
Tomography, computed, of brain in asphyxiated premature infants—prognostic value of (Fitzhardinge et al), 476
Tonometer, fontanelle: Noninvasive method for measurement of intracranial pressure (Menke et al), 960
Toxicity, dilantin, in preterm infant: Persistent bradycardia and lethargy (Wiriyathian et al) (BCLO), 146

Toxin and *Clostridium difficile* in nursery population, prevalence of: Comparison between patients with necrotizing enterocolitis and asymptomatic group (Sherertz and Sarubbi), 435
asymptomatic neonates (Donta and Myers), 431
TPN solution exposed to phototherapy, decomposition of (Ostrea et al) (Letter), 669; (Riggle et al) (Letter), 670
Trachyonychia (twenty-nail dystrophy) associated with selective IgA deficiency (Leong et al) (BCLO), 418
Transfusion, "exchange" blood, in newborn period—role of postnatal age and magnesium on parathyroid hormone responses during (Dincsoy et al), 277
serum calcitonin response to administration of calcium in newborn infants during (Dincsoy et al), 782
—drug replacement following (Lackner), 811
—improvement with: Abnormal auditory brainstem response in newborn infant with hyperbilirubinemia (Wennberg et al) (BCLO), 624
in leukemia with hyperleukocytosis (Del Vasto et al) (Letter), 1000
newborn infants—hematocrit of reconstituted blood for (Sotelo-Avila et al) (BCLO), 971
intrauterine—hyperbilirubinemia secondary to delayed absorption of intraperitoneal blood following (Wright et al) (BCLO), 302
Translocation Down syndrome, 21q/21q—recurrence risk in (Garver et al) (BCLO), 243
Transplantation, liver and kidney, in children receiving cyclosporin A and steroids (Starzl et al), 681
of adult kidney into very small child: Long-term outcome (Miller et al), 675
renal (Fine) (Editor's column), 554
Transposition of great vessels—arterial hyperoxia in newborn infant with (Batton et al) (BCLO), 300
Trauma from toy boxes (Singer and Lutner) (BCLO), 242
TRH testing—clinical characteristics and results of: Autonomous thyroid nodules in adolescents (Osburne et al), 383
Tricuspid atresia managed with orally administered prostaglandin E_2 (Coe et al) (BCLO), 496
Triglycerides, medium-chain, and Polycose—effects of increased calcium, phosphorus, and vitamin D intake on bone mineralization in very LBW infants fed formulas with (Greer et al), 951
Tri-iodothyronine—elevated values in victims of sudden infant death syndrome (Benjamin and Beckwith) (Letter), 841; (Tildon) (Reply), 841
Trimethoprim-sulfamethoxazole in leukemia, prophylactic use of (Lanzkowsky and Schaeffer) (Letter), 1002; (Morgan) (Reply), 1003
pharmacology in newborn infants (Springer et al), 647
therapy—transient elevation of alkaline phosphatase possibly related to (DeVito) (BCLO), 998
Tumor, maxillary brown, caused by secondary hyperparathyroidism in infant (Gurumurthy et al) (BCLO), 245
Wilms, with aniridia/iris dysplasia and apparently normal chromosomes (Riccardi et al), 574
TV viewing and sleep (Troll) (Letter), 507; (Weissbluth) (Reply), 508
Twenty-nail dystrophy (trachyonychia) associated with selective IgA deficiency (Leong et al) (BCLO), 418

U

Ultrasonographic quantitation, continuous wave Doppler, of patent ductus arteriosus flow (Serwer et al) (BCLO), 297
Ultrasound, cranial, in detection in intracranial calcifications (Dykes et al) (BCLO), 406
Umbilical catheters—semiquantitative cultures and routine tip cultures on (Adam et al), 123
Urate-oxidase prophylaxis of uric acid–induced renal damage in leukemia (Masera et al) (BCLO), 152
Uremic-hemolytic syndrome, association with: Pancreatic islet cell necrosis (Burns et al) (BCLO), 582
development of insulin-dependent diabetes mellitus during (Andreoli and Bergstein), 541
Uric acid–induced renal damage in leukemia—urate-oxidase prophylaxis of (Masera et al) (BCLO), 152
Urinary acidification—use of arginine hydrochloride infusion to assess (Loney et al) (BCLO), 95
kallikrein excretion in grade school children with high and low blood pressure (Sinaiko et al) (BCLO), 938
prostaglandins, vasopressin, and kallikrenin excretion in healthy children from birth to adolescence (Godard et al), 898
tract infections, site of, and serum C-reactive protein (Hellerstein et al), 21
Urine evaporative loss and effects of specific gravity and osmolality (Williams and Kanarek) (BCLO), 626
meconium-stained: Sign of intestinal perforation (Karna et al) (BCLO), 804
Urokinase therapy for a catheter-related right atrial thrombus (Delaplane et al) (BCLO), 149
Uropathy, obstructive—progression to end stage renal disease with (Warshaw et al), 183; Commentary (Vernier), 235
Uterine, intra-, transfusion—hyperbilirubinemia secondary to delayed absorption of intraperitoneal blood following (Wright et al) (BCLO), 302

V

Vaccine(s), live attenuated varicella: Immunization of healthy children with OKA strain (Arbeter et al), 886
pneumococcal—blood group antigens induced by (Potter) (Letter), 836; (Boyer and Gotoff) (Reply), 837
polyvalent pneumococcal—type-specific antibodies in children with sickle cell anemia given (Kaplan et al) (BCLO), 404
two *Haemophilus influenzae* type b—age-related response to (Pincus et al), 197
Valproic acid and phenobarbital—effect of age on concurrent administration of (Curatolo) (Letter), 841; (Suganuma et al) (Reply), 842
serum, and saliva levels in epileptic children (Fung and Ueda) (Letter), 512 (Friedman) (Reply), 512
Varicella infection acquired during infancy and early childhood—immunologic and epidemiologic aspects of (Baba et al), 881
vaccine, live attenuated: Immunization of healthy children with OKA strain (Arbeter et al), 886
Vasopressin in familial central diabetes insipidus, radioimmunoassay of (Kaplowitz et al), 76

Vasopressin—Cont'd
kallikrein, and prostaglandins excretion (urinary) in healthy children from birth to adolescence (Godard et al), 898
Velocity, cerebral blood flow, in relation to intraventricular hemorrhage in premature newborn infant (Perlman and Volpe), 956
Ventilation, intermittent mandatory—effect of low rate on pulmonary function of low-birth-weight infants (Shutack et al) (BCLO), 799
of infants with hyaline membrane disease—low peak respiratory pressures for (Ratner et al) (BCLO), 802
Ventricular, intra-, hemorrhage following volume expansion after hypovolemic hypotension in newborn beagle (Goddard-Finegold et al) (BCLO), 796
in premature infant—platelet dysfunction and coagulopathy in (Setzer et al), 599
neonatal—intracranial pressure and cerebral arterial pulsatile flow measurements in (Bada et al), 291
peri-, hemorrhage—serum Ck-BB isoenzyme in preterm infants with (Shields and Feldman), 464
Vessels, great, transposition of—arterial hyperoxia in newborn infant with (Batton et al) (BCLO), 300
Virologic features of chronic hepatitis B virus infection (Trevisan et al), 366
immunologic, and genetic factors in insulin-dependent diabetes mellitus (Champsaur et al), 15
Virus-associated hemophagocytic syndrome or malignant histiocytosis? (Davson) (Letter), 172; (Wilson et al) (Reply), 172
infection, atypical neonatal respiratory syncytial (Unger et al) (BCLO), 762
chronic hepatitis B—virologic features of (Trevisan et al), 366
severe Epstein-Barr—non–X-linked syndrome with susceptibility to (Fleisher et al), 727
reinfection, rubella, during pregnancy leading to late-onset congenital rubella syndrome (Levine et al) (BCLO), 589
respiratory syncytial, and rhinovirus—concurrent outbreak in intensive care nursery: Epidemiology and associated risk factors (Valenti et al), 722
Viscosity, blood, during neonatal period: Role of plasma and red blood cell type (Riopel et al), 449
Vitamin B_{12} deficiency in infant strictly breast-fed by mother with latent pernicious anemia (Johnson and Roloff) (BCLO), 917
D, calcium, and phosphorus, increased—effects of intake on bone mineralization in very low-birth-weight infants fed formulas with Polycose and medium-chain triglycerides (Greer et al), 951
Vitamin D—Cont'd
metabolites in human milk (Weisman et al), 745
nomenclature for (Piston) (Letter), 505; (Garfunkel) (Reply), 506
supplemental—bone mineral content and serum 25-hydroxyvitamin D concentrations in breast-fed infants with and without: One-year follow-up (Greer et al) (BCLO), 919
supplementation in breast-fed infants (Özsoylu and Hasanoglu) (Letter), 1000
E deficiency and chronic cholestasis—progressive neuromuscular disease in children with: Diagnosis and treatment with alpha tocopherol (Guggenheim et al), 51
status in cystic fibrosis (Sokol) (Letter) 512; (Castillo and Lewiston) (Reply), 513
K-dependent clotting factors in normal breast-fed infants (Jiménez et al) (BCLO), 424

W

Warmers, radiant—physiologic implications of two different heat shields for infants under (Baumgart et al), 787
Weight, birth, 501 to 1,500 gm—follow-up of infants delivered to residents of geographically defined region with perinatal intensive care facilities (Saigal et al), 606
low-birth-, infants—epidemiologic study of necrotizing enterocolitis among (Kliegman et al), 440
testicular, in infancy (Siebert) (Letter), 835
Wilms tumor with aniridia/iris dysplasia and apparently normal chromosomes (Riccardi et al), 574

X

Xanthogranulomatous pyelonephritis in late childhood—chronic granulomatous disease presenting as (Johansen et al) (BCLO), 98
X-linked syndrome, non-, with susceptibility to severe Epstein-Barr virus infections (Fleisher et al), 727
of diarrhea, polyendocrinopathy, and fatal infection in infancy (Powell et al), 731

Z

Zinc deficiency and geophagia (Çavdar) (Letter), 1003; (Gordon et al) (Reply), 1004
neural tube defects (Server) (Letter), 670